



January 26, 2018

Ms. Sonia E. Bumpus
1300 S. Evergreen Park Drive SW
PO Box 47250
Olympia, WA 98504-3172

Sent via electronic mail

RE: Response to Data Request 1, dated January 17, 2018

Dear Ms. Bumpus,

Thank you for the feedback on our Application for Site Certification.

We have had the opportunity to review and respond to each of the data requests provided with your Data Request 1 letter dated January 17, 2018. The electronic files accompanying this letter include the following materials in response:

1	Annotated Data Request Summary Table	We have taken the Data Request Table you provided and included a summary of our response to each of the Data Requests inline.
2	Revised Application for Site Certification (as of 1/26/18)	We have included a Word document with Track Changes, highlighting each of the changes made in response to Data Request 1. Please note that this Revised Application for Site Certification has been redacted to remove sensitive cultural resources information.
3	Revised SEPA checklist (Appendix A) (as of 1/26/18)	We have included a Word document with Track Changes, highlighting each of the changes made in response to Data Request 1.
4	Revised Vegetation Management Plan (Appendix B) (as of 1/26/18)	We have included a Word document with Track Changes, highlighting each of the changes made in response to Data Request 1.
5	Revised Habitat, Vegetation, Fish, and Wildlife Assessment Report (Appendix C) (as of 1/26/18)	We have included a Word document with Track Changes, highlighting each of the changes made in response to Data Request 1.

500 Yale Avenue North
Seattle, WA 98109
Phone: 206-303-0198
E-Mail: jason.evans@tuusso.com
Web: www.tuusso.com

6	New Appendix I-6: Archaeological Excavation Permit Application for Archaeological Survey, Site 45KT4012	This permit application was submitted to DAHP and to EFSEC on January 17, 2018 and is submitted as an Appendix with this response for the sake of completeness.
7	Amendment to Appendix J-3: Joint Aquatic Resources Permit Application (JARPA) Form	This JARPA application was submitted to EFSEC on December 21, 2017 and is submitted with this response for the sake of completeness. This completed JARPA application should replace pages J-3-53 through J-3-69 of Appendix J of the original Application for Site Certification.
8	New Appendix M: Draft Communication and Emergency Response Plan	This draft plan is submitted in partial response to Data Request 4-5.
9	New Appendix N: Noise Impact Calculations	This document provides additional detail concerning the calculations used to generate the Leq and Lmax noise levels in the Application for Site Certification in partial response to Data Request 4-2.
10	Letter dated January 19, 2018 from Morgan & Son Earthmoving to EFSEC	We have included a pdf of this letter addressed to Mr. Posner from Morgan and Son Earthmoving, which provides documentation of this construction company's ability to supply the water for our projects' construction needs.

A PDF version of the Revised Application for Site Certification will follow in the next few days.

We look forward to your feedback on these revised and new electronic documents responsive to Data Request 1. We would like to obtain that feedback and ensure that these documents are adequately addressing the issues you raised in Data Request 1 as well as any other questions you have before preparing a final set of documents both electronically and in paper form. We will be happy to coordinate such a submission over the coming weeks.

The Revised Application for Site Certification and Revised SEPA checklist submitted herewith should be used for your SEPA determination.

If you have any questions or concerns, please do not hesitate to contact me at 206.303.0198, or at Jason.evans@tuusso.com.

Best regards,



Jason Evans
Vice President, TUUSSO Energy

Cc:

Tim McMahan, Partner, Stoel Rives LLP

Joy Potter, President, Potter Consulting Group LLC

Greg Poremba, Ph.D., Senior NEPA/SEPA Energy Project Manager, SWCA Environmental Consultants