# Wautoma Solar Energy Project Wetland Delineation Report



Innergex Renewable Development USA, LLC 3636 Nobel Drive, Suite 260, San Diego, CA 92122

**Prepared by:** 



November 2021

## **Table of Contents**

1.0 Introduction
2.0 Landscape Setting and Land Use
2.1 Project Study Area
2.2 Landscape Setting
2.2.1 Vegetation
2.2.2 Priority Habitats and Species
2.3 Land Use
2.4 NWI and NRCS Soils
2.4.1 National Wetlands Inventory Data 2
2.4.2 Hydric Soils Data
3.0 Site Alterations
4.0 Precipitation Data and Analysis
5.0 Methods
5.1 Pre-field Work
5.2 Field Work
5.2.1 Wetland Delineations
5.2.2 Non-wetland Waters Evaluations
6.0 Description of Wetlands and Other Non-wetland Waters
6.1 Wetlands7
6.2 Non-wetland Waters
7.0 Deviation from NWI
8.0 Mapping Methods
9.0 Results and Conclusions
10.0 Disclaimer
11.0 References

## **List of Tables**

Table 1.	Soils Mapped in the Study Area	3
Table 2.	Precipitation Data – Current and Historical (Inches)	5
Table 3.	Summary of Wetlands	9
Table 4.	Summary of Other Water Features1	.0

## **List of Figures**

Figure 1. Project Location Figure 2. Tax Lots

Figure 3. NWI and NHD

Figure 4. NRCS Soils

Figure 5. Delineated Features

## List of Appendices

Appendix A. Data Sheets Appendix B. Photolog

## **Acronyms and Abbreviations**

AW Supplement	Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West (Version 2.0)
Innergex	Innergex Renewable Development USA, LLC
FAC	Facultative
FACU	Facultative Upland
FACW	Facultative Wetland
GPS	global positioning system
LRR	Land Resource Region
NI	No Wetland Species Indicator
NRCS	Natural Resources Conservation Service
NWI	National Wetlands Inventory
OBL	Obligate
PEM	Palustrine Emergent
Project	Wautoma Solar Energy Project
Tetra Tech	Tetra Tech, Inc.
UPL	Upland
USDA	U.S. Department of Agriculture
WETS	Climate Analysis for Wetlands Tables

# **1.0 Introduction**

Innergex Renewable Development USA, LLC (Innergex) plans to develop the Wautoma Solar Energy Project (Project) located in Benton County, Washington. As part of its environmental due diligence, Innergex contracted Tetra Tech, Inc. (Tetra Tech) to conduct wetland and other waters delineation surveys and subsequent reporting. Field surveys were completed in March and October of 2021, these areas are identified in the attached maps as Spring 2021 and Fall 2021 respectively.

# 2.0 Landscape Setting and Land Use

#### 2.1 Project Study Area

The 4,819-acre Project Study Area is in Sections 19 through 22, 27 through 30, 32, and 33. of Township 12 North, Range 24 (Figure 1). The Project Study Area is contained within parcels owned by private individuals. A map of the Project Study Area containing the tax lots is provided as Figure 2. The Project is approximately 16 miles northeast of Sunnyside, Washington and adjacent to the Rattlesnake Hills Research Natural Area.

#### 2.2 Landscape Setting

The Project Study Area is located within the Level III Columbia Plateau Ecoregion, and within the further subdivided Level IV, Yakima Folds Ecoregion (Thorson et al. 2003). In addition, the Project is within U.S. Department of Agriculture (USDA) Land Resource Region (LRR) B, Northwestern Wheat and Range Region (NRCS 2006). LRR B, Northwestern Wheat and Range Region, overlaps within the Project Study Area with LRR B, Columbia/Snake River Plateau Region, in the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region* (Version 2.0) (USACE 2008) (AW Supplement).

The Project Study Area is in a basin created by the cataclysmic floods during the last Ice-Age (IAFI 2021). The soils are formed from lacustrine deposits left behind from Lake Lewis before it drained (Rigby and Othberg 1979). The drainages are alluvial and drain towards the valley bottom but often spread out and no longer have bed or banks before they reach Dry Creek (ephemeral) which drains the small basin that contains the Project Study Area.

#### 2.2.1 Vegetation

Plant species names and associated wetland indicator status ratings are from the State of Washington 2018 Wetland Plant List (USACE 2018). The following wetland indicator ratings are ordered according to the percent likelihood of the plant occurring in wetlands, from most likely to least likely: Obligate (OBL), Facultative Wetland (FACW), Facultative (FAC), Facultative Upland (FACU), and Upland (UPL). Species with an indicator of NI (No Indicator) refers to plants that are not listed in the wetland plant list and are thereby considered to be Upland plants. Woody vegetation commonly observed in Project Study Area included three-tip sagebrush (*Artemisia tripartita,* NI), big sagebrush (*Artemisia tridentata,* UPL), yellow rabbitbrush (*Chrysothamnus viscidiflorus,* NI), rubber rabbitbrush (*Ericameria nauseosa,* NI), and bitterbrush (*Purshia tridentata,* NI).

Herbaceous species documented in upland areas included crested wheatgrass (*Agropyron cristatum*, NI), bluebunch wheatgrass (*Pseudoroegneria spicata*, NI), medusahead grass (*Taeniatherum caput-medusae*, NI), bulbous bluegrass (*Poa bulbosa*, FACU), cheatgrass (*Bromus tectorum*, NI), and common yarrow (*Achillea millefolium*, FACU).

## 2.2.2 Priority Habitats and Species

The Washington State Department of Ecology requests information on priority habitats and species from the Washington Department of Fish and Wildlife. Surveys for specialized habitats and species are being assessed as part of separate reports in support of this Project and can be made available as requested.

### 2.3 Land Use

Much of the Project Study Area is being used to graze livestock including cattle, goats, and sheep. The land that is not actively being grazed is either irrigated cropland or in well-maintained stands of native grasses, shrubs, and forbs. The stands of native plants are presumed to be a restoration planting on former cropland due to the shape of the field and the species present. There are some irrigated hedgerows that are intended to provide wildlife habitat bordering the irrigated croplands, although recent fires have destroyed the hedgerows on the southwest side of the Project Study Area.

Also present in several locations around the site are temporary livestock watering ponds. The farmer and landowner use buried pipelines from springs located in the hills to fill low spots around the Project Study Area. He fills them only for a few weeks at a time when the cattle are present in that section of the rotationally grazed range areas.

#### 2.4 NWI and NRCS Soils

Prior to field work, Tetra Tech reviewed the National Wetlands Inventory (NWI), hydric soils data, and aerial photographs to identify potential wetlands and other waters, as described below.

## 2.4.1 National Wetlands Inventory Data

Desktop review of NWI data indicates that there are riverine wetlands but no depressional wetlands within the Project Study Area (USFWS 2021). The NWI data is shown in Figure 3.

### 2.4.2 Hydric Soils Data

Seventeen soil map units are mapped in the Project Study Area (Table 1 and Figure 4). The dominant soil in the Project Study Area is Warden silt loam, zero to 5 percent slopes covering approximately 49 percent of the Project Study Area. Only one soil had a hydric component, the Scooteney silt loam, which is considered 2 percent hydric. Soils must have at least 33 percent hydric components to be minimally considered "partially hydric"; therefore, this soil does not meet hydric criteria (NRCS 2018).

Map Unit Code	Map Unit Name	Acres	Percent of the Study Area	Percent Hydric Soil
BmAB	Burke silt loam, 0 to 5 percent slopes	15.42	<0%	0%
BnB	Burke silt loam, shallow, 0 to 5 percent slopes	17.25	<0%	0%
EuAB	Esquatzel silt loam, 0 to 5 percent slopes	174.01	4%	0%
FeC	Finley fine sandy loam, 0 to 15 percent slopes	128.45	3%	0%
FfE	Finley stony fine sandy loam, 0 to 30 percent slopes	460.50	10%	0%
HeE	Hezel loamy fine sand, 0 to 30 percent slopes	28.83	1%	0%
KnE	Kiona very stony silt loam, 0 to 30 percent slopes	53.81	1%	0%
KnF	Kiona very stony silt loam, 30 to 65 percent slopes	64.22	1%	0%
ReB	Ritzville silt loam, 0 to 5 percent slopes	766.02	16%	0%
ReE3	Ritzville silt loam, 15 to 30 percent slopes, severely eroded	49.81	1%	0%
ReF	Ritzville silt loam, 30 to 65 percent slopes	39.27	1%	0%
ScAB	Scooteney silt loam, 0 to 5 percent slopes	216.81	4%	2%
ShAB	Shano silt loam, 0 to 5 percent slopes	0.87	<0%	0%
SnE2	Shano very fine sandy loam, 15 to 30 percent slopes, eroded	16.64	<0%	0%
WdAB	Warden silt loam, 0 to 5 percent slopes	2,291.06	49%	0%
WdE3	Warden silt loam, 15 to 30 percent slopes, severely eroded	358.63	7%	0%
WfC2	Warden very fine sandy loam, 0 to 15 percent slopes	137.45	3%	0%

#### Table 1. Soils Mapped in the Study Area

## 3.0 Site Alterations

Site alterations are those activities that that directly or indirectly impact wetlands and other waters such that the function or area of the feature changes significantly. A significant alteration would be one that renders the feature non-functioning, or one that changes the boundaries. Land use in the Project Study Area is generally dominated by grazing and irrigated cropping where the native vegetation has been removed or is significantly disturbed. There are two-track roads throughout the Project Study Area, which potentially may have disrupted the hydrology of the site.

# 4.0 Precipitation Data and Analysis

Precipitation data for the period preceding and during field work were collected from the National Weather Service, Yakima, Washington Station (NOAA 2021). Data from the Natural Resource Conservation Service Climate Analysis for Wetlands Tables (WETS) Station, Prosser, were used to compare historical precipitation data with recent water records (NRCS 2021). Average historical monthly precipitation data were obtained from the WETS Table for Prosser (Table 2) for the period of 1971 to 2021 (NRCS 2021). Average annual precipitation in this area is between 8 and 12 inches (PRISM Climate Group 2021).

During the 6-day span preceding field work on March 15–18, 2021, 0.04 inches of precipitation was measured. Monthly precipitation for March 2021 was 12 percent of the average 0.66 inches, that normally falls this month. During the 6-day span preceding field work on October 4-5, 2021, 0.07 inches of precipitation was measured. Monthly precipitation for September 2021 was 105 percent of the average 0.41 inches, that normally falls this month.

For the Water Year October 2020 through October 2021, precipitation was 61 percent of average with above-average precipitation for the months of November, January, February, and September that helped mitigate for below-average precipitation in other months. Based on the precipitation data for the Water Year for the 3 months prior to the site visits, it was estimated that groundwater was about average or slightly below what is usually encountered at this time of year (Table 2).

The lower-than-normal precipitation levels did not affect the delineation of waters as determinations of intermittent versus ephemeral stream were made using indicators described in the Streamflow Duration Assessment Method for the Pacific Northwest (SDAM) (Nadeau 2015). The SDAM relies on multiple indicators independent of the presence or absence of surface hydrology, including indicators of macroinvertebrates, wetland plants in or near the streambed, and channel slope.

Precipitation	Oct. 2020	Nov. 2020	Dec. 2020	Jan. 2021	Feb. 2021	Mar. 2021	Apr. 2021	May 2021	June 2021	July 2021	Aug. 2021	Sept. 2021	0ct. 2021	Water Year 2020-2021 Total
Recorded Monthly Precipitation Totals <sup>1</sup> (inches); (Yakima, WA) <sup>1</sup>	0.20	1.15	0.58	1.52	0.94	0.08	0.04	0.05	0.18	0.01	0.03	0.43	0.13	5.34
WETS Average Monthly Precipitation <sup>2</sup> (inches); (Prosser, WA) <sup>2</sup>	0.71	0.92	1.27	0.99	0.72	0.66	0.60	0.69	0.58	0.20	0.30	0.41	0.71	8.76
Recorded Precipitation Relative to WETS Average Monthly Precipit ation	28%	125%	46%	154%	130%	12%	7%	7%	31%	5%	10%	105%	33%	61%
1. NOAA 2021 2. WETS Table for Pro	osser, Was	hington, 19	71-2021	I	I		I		1	I	I	1	1	

#### Table 2. Precipitation Data - Current and Historical (Inches)

## 5.0 Methods

### 5.1 Pre-field Work

In preparation for the field work, Tetra Tech reviewed NWI, hydric soils data, and aerial photographs to identify potential wetlands and other waters, as described in the preceding sections. Tetra Tech prepared digital field maps with these data and uploaded these maps onto a Samsung Android data collection tablet to assist field staff in identifying the locations of probable wetlands and non-wetland waters within or adjacent to the Project Study Area.

Wetlands and surface water data were obtained from NWI (USFWS 2021). Soils data were obtained from the NRCS Web Soil Survey (NRCS 2021a). The historical orthoimagery available on Google Earth Pro was used to identify aerial signatures of wetlands and waters. The Washington Natural Heritage Program (WNHP 2018) data was used to determine if natural heritage features associated with wetlands exist in or near the Project Study Area. No natural heritage features-associated wetlands were noted as occurring in the Project Study Area.

The following guidance documents and procedures were reviewed:

- Arid West Supplement (USACE 2008)
- Wetlands Delineation Manual, Technical Report Y-87-1 (the Manual) (USACE 1987)
- Streamflow Duration Assessment Method for the Pacific Northwest (Nadeau 2015)
- Classification of Wetlands and Deepwater Habitats of the United States (Cowardin et al. 1979)
- Washington State Wetland Rating System for Eastern Washington 2014 Update (Hruby 2014)

## 5.2 Field Work

Field investigations for the delineation of wetlands and other waters included pedestrian surveys within the Project Study Area. Tetra Tech conducted the field delineations on March 15 to 18, and October 4 to 5, 2021. The desktop wetland data were used to focus the wetland delineations, while the desktop surface water data were used to focus the non-wetlands water evaluation as necessary.

## 5.2.1 Wetland Delineations

Wetland presence was determined as per methods in the Manual and the Arid West Supplement. Three field indicators of wetlands (i.e., hydrophytic vegetation, hydric soils, and wetland hydrology) must be present to make a positive wetland determination. Wetland classifications were based on Classification of Wetlands and Deepwater Habitats of the United States, and rated using the Washington State Rating System for Eastern Washington (Cowardin et al. 1979; Hruby 2014). The rating system categorizes wetlands based on specific attributes such as rarity; sensitivity to disturbance; and water quality, hydrologic, and habitat functions. Field evaluations for potential wetlands were conducted using the following guidelines:

- Sample plots were established in all features identified by NWI data (USFWS 2021). The sample plot was located within the feature where it was judged most likely to have wetland characteristics (i.e., the lowest or most green place).
- Paired sample plots were established in logical locations to document wetland boundaries.
- The number of sample plots established in wetlands was commensurate with the size and complexity of the wetland, and whether the wetland was bordered by upland or another wetland with a different Cowardin et al. (1979) classification; the number of sample plots per wetland ranged from one to several.
- Photographs were taken to document wetland and upland conditions at the wetland boundary.
- Each wetland boundary was recorded as a polygon using survey grade Juniper Geode global positioning system (GPS) units. Details on mapping methods are presented in Section 8.0.

#### 5.2.2 Non-wetland Waters Evaluations

Non-wetland waters were evaluated using the following criteria:

- Stream channels less than 6 feet in width were mapped along their centerline, and streams greater than 6 feet in width were mapped at their ordinary high water lines for each bank.
- Flow duration for the stream channels was determined using criteria in the Streamflow Duration Assessment Methodology.
- Stream channels were classified following the Washington Department of Natural Resources interim water typing system (WAC 222-16-031). Water type classifications are based primarily on fish use and flow regime, as well as other values including water supply use.
- Several of the streams originated in the wetland study area; these were mapped from the point at which a defined channel with evidence of regular flow was present.

## 6.0 Description of Wetlands and Other Non-wetland Waters

All wetlands and non-wetland waters evaluated in the Project Study Area are depicted in the Figure 5 map set. The Arid West Region Wetland Determination Data Sheets are found in Appendix A.

#### 6.1 Wetlands

There are 3, palustrine emergent wetlands in the Project Study Area. They are labeled WT-500, WT-501, and WT-502 and depicted in Figures 5-4, 5-5, and 5-7. An irrigation line that lies across the

southern end of a crop field leaks at each of the joints. The wetlands were found at three junctures in the pipeline that intersected with swale features at a point where the irrigation pipe is not lying flat on the ground. Cattails were observed growing in the damp soils.

The predominant herbaceous vegetation observed in the Palustrine Emergent (PEM) wetlands was broad-leaf cattail (*Typha latifolia*, OBL).

None of the temporary livestock watering ponds met hydric soil or vegetation criteria, most likely due to the short duration of water being on site.

#### 6.2 Non-wetland Waters

There are 34 ephemeral streams within the Project Study Area. The topography within the Project Study Area is the relatively flat bottom between two ridges. The majority of the water ways originate in the alluvial fans coming off the hills into the Project Study Area and dissipate before joining the ephemeral drainages present on the valley floor.

The Project Study Area is contained in a watershed listed by StreamNet as having no suitable fish habitat. The ephemeral drainages within the Project Study Area eventually lead about 24 miles downstream to the Yakima River, which is habitat for Chinook, coho, steelhead salmon, and bull trout. All stream segments within the Project Study Area were determined to be ephemeral, and while non-perennial stream designation would not directly exclude fish, it would greatly limit their ability to occupy areas well upstream of the consistently perennial flowing portions of the drainage in this dry warm area of the state.

None of the Project stream segments would be considered fish streams due to one or more of the following factors:

- Small drainage basins, which adversely affect flow maintenance and channel size;
- Small channels that limit rearing and holding pool habitat;
- Lack of a consistent water source;
- Lack of riparian vegetation and substrate, which also affect habitat quality and quantity; and
- Their long distances (e.g., more than 1 river mile) from areas reasonably considered to have fish presence.

## 7.0 Deviation from NWI

The wetlands shown on the NWI in this Project Study Area are all riverine, the three wetlands found within the Project Study Area are palustrine emergent wetlands isolated from the drainages.

## 8.0 Mapping Methods

Wetland boundaries, photograph locations, and sample plot locations were recorded using Juniper Geode series GPS units, configured to differentially correct positions in real-time using the Satellite Based Augmentation System, which typically results in positional error of less than 1 meter (Juniper Systems 2019).

Wetland boundaries were recorded as polygon features using GPS units set to collect vertices every 2 seconds. Field staff walked the perimeter of the wetland with the GPS unit in hand, at a pace consistent with creating an accurate representation of the wetland feature. The location of sample plots was recorded as a point feature consisting of the average of 30 GPS-recorded positions.

# 9.0 Results and Conclusions

Using methods recommended in the Manual and AW Supplement, 3 wetlands and 34 ephemeral streams were delineated and documented in the Project Study Area. The total area of preliminary jurisdictional wetlands reported within the Project Study Area boundary is 0.10 acres (Table 3). The total preliminary jurisdictional waters reported within the Project Study Area boundary is 4.17 acres (Table 4).

The wetland identified in this report will likely be subject to regulations by the Washington State Department of Ecology even though they are caused by irrigation leaks. Wetlands that result from agricultural activities must be "dry" for a minimum of 3 years to be considered upland.

Feature Name	Feature Type	Ecology	Rating	Acreage
reature Name	reature rype	Total	Category	Acreage
WT-500	Palustrine Emergent Wetland	10	IV	0.06
WT-501	Palustrine Emergent Wetland	10	IV	0.01
WT-502	Palustrine Emergent Wetland	10	IV	0.03
		Total Wetla	nd Acreage	0.10

Table 3.Summary of Wetlands

ST-200Ephemeral Stream0.02ST-201Ephemeral Stream0.01ST-202Ephemeral Stream/Erosional Feature0.07ST-203Ephemeral Stream/Erosional Feature0.02ST-204Ephemeral Stream0.03ST-205Ephemeral Stream0.03ST-206Ephemeral Stream0.03ST-207Ephemeral Stream0.03ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.12ST-211Ephemeral Stream0.02ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.04ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.13ST-219Ephemeral Stream0.13ST-219Ephemeral Stream0.14ST-220Ephemeral Stream0.07ST-700Ephemeral Stream0.03ST-701Ephemeral Stream0.07ST-701Ephemeral Stream0.03ST-703Ephemeral Stream0.06ST-704Ephemeral Stream0.07ST-705Ephemeral Stream0.03ST-705Ephemeral Stream0.03ST-704 <th>Feature Name</th> <th>Feature Type</th> <th>Acreage</th>	Feature Name	Feature Type	Acreage
ST-202Ephemeral Stream0.01ST-203Ephemeral Stream/Erosional Feature0.07ST-204Ephemeral Stream0.02ST-205Ephemeral Stream0.03ST-206Ephemeral Stream0.01ST-207Ephemeral Stream0.03ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.03ST-210Ephemeral Stream0.17ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.02ST-216Ephemeral Stream0.12ST-217Ephemeral Stream0.12ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.13ST-219Ephemeral Stream0.04ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.13ST-221Ephemeral Stream0.13ST-220Ephemeral Stream0.13ST-221Ephemeral Stream0.16ST-221Ephemeral Stream0.07ST-701Ephemeral Stream0.06ST-703Ephemeral Stream0.03ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.03ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Str	ST-200	Ephemeral Stream	0.02
ST-203Ephemeral Stream/Erosional Feature0.07ST-204Ephemeral Stream0.02ST-205Ephemeral Stream0.03ST-206Ephemeral Stream0.01ST-207Ephemeral Stream0.03ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.02ST-216Ephemeral Stream0.02ST-217Ephemeral Stream0.12ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.13ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.13ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.07ST-701Ephemeral Stream0.07ST-701Ephemeral Stream0.06ST-703Ephemeral Stream0.03ST-704Ephemeral Stream0.07ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Str	ST-201	Ephemeral Stream	0.01
ST-204Ephemeral Stream0.02ST-205Ephemeral Stream0.03ST-206Ephemeral Stream0.01ST-207Ephemeral Stream0.03ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.04ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.02ST-216Ephemeral Stream0.12ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.04ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.13ST-214Ephemeral Stream0.04ST-215Ephemeral Stream0.04ST-216Ephemeral Stream0.13ST-217Ephemeral Stream0.04ST-218Ephemeral Stream0.04ST-220Ephemeral Stream0.07ST-701Ephemeral Stream0.07ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-202	Ephemeral Stream	0.01
ST-205Ephemeral Stream0.03ST-206Ephemeral Stream0.01ST-207Ephemeral Stream0.03ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.04ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.12ST-217Ephemeral Stream0.16ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.13ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.11ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.04ST-203Ephemeral Stream0.07ST-704Ephemeral Stream0.07ST-705Ephemeral Stream0.05ST-704Ephemeral Stream0.05ST-705Ephemeral Stream0.03ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-203	Ephemeral Stream/Erosional Feature	0.07
ST-206Ephemeral Stream0.01ST-207Ephemeral Stream1.65ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.04ST-212Ephemeral Stream0.02ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.02ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.13ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.01ST-221Ephemeral Stream0.13ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.07ST-701Ephemeral Stream0.07ST-701Ephemeral Stream0.06ST-703Ephemeral Stream0.03ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-204	Ephemeral Stream	0.02
ST-207Ephemeral Stream1.65ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.04ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.13ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.04ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.13ST-222Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.17ST-700Ephemeral Stream0.17ST-701Ephemeral Stream0.07ST-703Ephemeral Stream0.06ST-704Ephemeral Stream0.05ST-705Ephemeral Stream0.03ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-205	Ephemeral Stream	0.03
ST-208Ephemeral Stream0.03ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.04ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.16ST-216Ephemeral Stream0.13ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-221Ephemeral Stream0.13ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.07ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.03ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-206	Ephemeral Stream	0.01
ST-209Ephemeral Stream0.17ST-210Ephemeral Stream0.11ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.04ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.13ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.07ST-700Ephemeral Stream0.17ST-700Ephemeral Stream0.17ST-701Ephemeral Stream0.07ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-207	Ephemeral Stream	1.65
ST-210         Ephemeral Stream         0.11           ST-211         Ephemeral Stream         0.12           ST-212         Ephemeral Stream         0.04           ST-213         Ephemeral Stream         0.02           ST-214         Ephemeral Stream         0.02           ST-215         Ephemeral Stream         0.12           ST-216         Ephemeral Stream         0.12           ST-217         Ephemeral Stream         0.16           ST-218         Ephemeral Stream         0.13           ST-219         Ephemeral Stream         0.09           ST-220         Ephemeral Stream         0.04           ST-221         Ephemeral Stream         0.04           ST-219         Ephemeral Stream         0.04           ST-220         Ephemeral Stream         0.04           ST-221         Ephemeral Stream         0.17           ST-700         Ephemeral Stream         0.01           ST-701         Ephemeral Stream         0.05           ST-702         Ephemeral Stream         0.05           ST-703         Ephemeral Stream         0.03           ST-704         Ephemeral Stream         0.07           ST-705         Ephemeral Stream <td>ST-208</td> <td>Ephemeral Stream</td> <td>0.03</td>	ST-208	Ephemeral Stream	0.03
ST-211Ephemeral Stream0.12ST-212Ephemeral Stream0.04ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.18ST-223Ephemeral Stream0.17ST-700Ephemeral Stream0.11ST-701Ephemeral Stream0.07ST-701Ephemeral Stream0.05ST-703Ephemeral Stream0.03ST-704Ephemeral Stream0.07ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-209	Ephemeral Stream	0.17
ST-212Ephemeral Stream0.04ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.04ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.17ST-701Ephemeral Stream0.07ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.03ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-210	Ephemeral Stream	0.11
ST-213Ephemeral Stream0.02ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.17ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.17ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-706Ephemeral Stream0.07	ST-211	Ephemeral Stream	0.12
ST-214Ephemeral Stream0.09ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.01ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-212	Ephemeral Stream	0.04
ST-215Ephemeral Stream0.12ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.01ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-213	Ephemeral Stream	0.02
ST-216Ephemeral Stream0.16ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.01ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-214	Ephemeral Stream	0.09
ST-217Ephemeral Stream0.13ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.01ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-215	Ephemeral Stream	0.12
ST-218Ephemeral Stream0.13ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.011ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-216	Ephemeral Stream	0.16
ST-219Ephemeral Stream0.09ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-217	Ephemeral Stream	0.13
ST-220Ephemeral Stream0.04ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-218	Ephemeral Stream	0.13
ST-221Ephemeral Stream0.18ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-219	Ephemeral Stream	0.09
ST-222Ephemeral Stream0.17ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-220	Ephemeral Stream	0.04
ST-700Ephemeral Stream0.07ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.07	ST-221	Ephemeral Stream	0.18
ST-701Ephemeral Stream0.11ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-222	Ephemeral Stream	0.17
ST-702Ephemeral Stream0.06ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-700	Ephemeral Stream	0.07
ST-703Ephemeral Stream0.05ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-701	Ephemeral Stream	0.11
ST-704Ephemeral Stream0.03ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-702	Ephemeral Stream	0.06
ST-705Ephemeral Stream0.07ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-703	Ephemeral Stream	0.05
ST-706Ephemeral Stream0.07ST-707Ephemeral Stream0.10	ST-704	Ephemeral Stream	0.03
ST-707 Ephemeral Stream 0.10	ST-705	Ephemeral Stream	0.07
	ST-706	Ephemeral Stream	0.07
ST-708 Ephemeral Stream 0.04	ST-707	Ephemeral Stream	0.10
	ST-708	Ephemeral Stream	0.04

Table 4.Summary of Other Water Features

ST-709	Ephemeral Stream	0.02
ST-710	Ephemeral Stream	0.05
	Total Other Waters Acreage	4.17

# **10.0 Disclaimer**

This report documents the investigation, best professional judgment, and conclusions of the investigator. It is correct and complete to the best of my knowledge. It should be considered a Preliminary Jurisdictional Determination of wetlands and other waters and potentially subject to modification until it has been reviewed and approved in writing by the U.S. Army Corps of Engineers and the Washington State Department of Ecology.


## **11.0 References**


- Cowardin, L.M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Fish and Wildlife Service, Washington, DC. FWS/OBS-79/31.
- Hruby, T. 2014. Washington State Wetland Rating System for Eastern Washington: 2014 Update. (Publication #14-06-030). Olympia, WA: Washington State Department of Ecology.
- IAFI (Ice Age Flood Institute). 2021. Washington's Ice Age Floods ESRI Story Map. Available online at: https://iafi.org/washingtons-ice-age-floods-esri-story-map/.
- Juniper Systems. 2019. Geode Real-Time Sub-meter GPS Receiver. Available URL: http://www.junipersys.com/Juniper-Systems-Rugged-Handheld-Computers/products/Geode-Sub-Meter-GPS-Receiver.
- Nadeau, Tracie-Lynn. 2015. Streamflow Duration Assessment Method for the Pacific Northwest. EPA 910-K-14-001, U.S. Environmental Protection Agency, Region 10, Seattle, WA.
- NOAA (National Oceanic and Atmospheric Administration). 2021. National Weather Service. Goldendale, WA Climate Station. Available online at: <u>http://w2.weather.gov/climate/index.php?wfo=pqr</u>. Accessed: July 2021.
- NRCS (Natural Resources Conservation Service). 2006. Land Resource Regions and Major Land Resource Areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296.
- NRCS. 2018. Field Indicators of Hydric Soils in the United States: A Guide for Identifying and Delineating Hydric Soils, Version 8.2.
- NRCS. 2021a. Web Soil Survey. Available online at: http://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx. Accessed: July 2021.
- NRCS. 2021b. Wetlands (WETS) Climate Tables. Bickleton Station (450668). Available online at: <u>https://www.wcc.nrcs.usda.gov/climate/wets\_doc.html</u>. Accessed: July 2020.
- PRISM Climate Group. 2021. Annual Precipitation. Northwest Alliance for Computational Science and Engineering. Oregon State University. Available online at: <u>https://prism.oregonstate.edu/recent/monthly.php</u>. Accessed October 7, 2020.
- Rigby, J and K. Othberg. 1979. Reconnaissance Surficial Geologic Mapping of the Late Cenozoic Sediments of the Columbia Basin. Published by Washington State Department of Natural Resources Division of Geology and Earth Resources. September 1979.
- Thorson, T.D., S.A. Bryce, D.A. Lammers, , A.J. Woods, , J.M. Omernik, J. Kagan, D.E. Pater, and J.A. Comstock. 2003. Ecoregions of Washington (color poster with figure, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (figure scale 1:1,500,000). Available online at: https://www.epa.gov/eco-research/ecoregion-downloadfiles-state-region-10#pane-45.


- USACE (U.S. Army Corps of Engineers). 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. January 1987. Wetlands Research Program. U.S. Army Corps of Engineers, Waterways Experiment Station, 3909 Halls Ferry Road, Vicksburg, MS 39180-6199.
- USACE. 2008. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2). ed. J.S. Wakeley, R.W. Lichvar, and C.V. Noble. ERDC/EL TR-10-3. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- USACE. 2018. National Wetland Plant List, version 3.4. U.S. Army Corps of Engineers. Engineer Research and Development Center. Cold Regions Research and Engineering Laboratory, Hanover, NH. Available online at: <u>http://wetland-</u> <u>plants.usace.army.mil/nwpl\_static/v34/home/home.html</u>.
- USFWS (U.S. Fish and Wildlife Service). 2021. National Wetlands Inventory. Wetlands Data by State, Washington. Available online at: <u>https://www.fws.gov/wetlands/Data/State-Downloads.html. Downloaded June 2020</u>.
- WNHP (Washington Natural Heritage Program). 2018. Sections that contain Natural Heritage Features Associated with Wetlands. Available online at: <u>https://www.dnr.wa.gov/publications/amp\_nh\_wetlands\_trs.pdf?kbi7wbv</u>. Accessed July 2020.


# Figures


Figure 1.	Project Location
Figure 2.	Tax Lot Map
Figure 3.	NWI and NHD Map
Figure 4.	NRCS Soils Map
Figure 5.	Delineated Wetlands and Waters Mapbook





























Appendix A:

**Data Sheets** 

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24; the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

Project/Site: Wauton	na Solar			City/C	ounty: Bento	on Count	ty		Sampling	Date:	3/17/	/2021
Applicant/Owner:	Innergex				·		State:	WA	Sampling	g Point:	W	T-500
Investigator(s): Jessi	ica Taylor/Katie	e Pyne		Sectior	n, Township, I	Range:	Section	20, Townsh	nip 12, Rar	nge 24 E	ast	
Landform (hillside, te	errace, etc.): va	alley floor		Local relie	ef (concave, o	convex,	none): c	oncave		Slop	be (%):	2
Subregion (LRR):	LRR B	Lat: 46.4943	87°							Datum:	NAD8	33
Soil Map Unit Name:	ReB Ritzville	Silt Loam, 0 to 5	percent slop	es				IWI classific		ne		
Are climatic / hydrolo	ogic conditions	on the site typic	al for this tim	e of year?	Yes X	No		(If no, expl	ain in Rem	arks.)		
Are Vegetation	, Soil ,	or Hydrology	significan	tly disturbed?	Are "Norma	I Circum	nstances	" present?	Yes X	C No	)	
Are Vegetation					(If needed,	explain	any ansv	vers in Rem	arks.)	_		•
SUMMARY OF	FINDINGS -	- Attach site	map shov	ving sampl	ing point l	locatio	ons, tra	ansects, i	importa	nt feat	ures,	etc.
Hydrophytic Vegeta	tion Present?	Yes	No X	ls t	he Sampled	Area						
Hydric Soil Present		Yes	No X	wit	hin a Wetlar	nd?	١	res	No <u>×</u>	<u>(                                    </u>		
Wetland Hydrology	Present?	Yes	No <u>X</u>									
Remarks: Upland site adjacer	nt to irrigation ir	nduced wetland										
VEGETATION -	Use scient	ific names o	of plants.									
Tree Stratum	(Plot size:	)	Absolut % Cove			Do	minance	e Test work	sheet:			
1 2.								Dominant S ACW, or FA	•	at	0	(A)

2.				Are OBL, FACW,		es That	0	(A)
3				Total Number of I Across All Strata:		Species	1	(B)
Sapling/Shrub Stratum (Plot size:)		_=Total Cover		Percent of Domin Are OBL, FACW,		es That	0.0%	_(A/B)
2.				Prevalence Inde				
3.				Total % Cov			Multiply by	/:
4				OBL species				_
5				FACW species			-	_
		=Total Cover		FAC species			-	—
Herb Stratum (Plot size: 5)				FACU species		x 4 =	-	
1. Bromus tectorum	80	Yes	UPL	UPL species				—
2. Festuca idahoensis	10		FACU	Column Totals:		• ` ` •		(B)
<ol> <li><u>Pseudoroegneria spicata</u></li> <li>4.</li> </ol>		No	UPL	Prevalence In	dex = B/A	=	4.90	_
5.				Hydrophytic Veg	getation In	dicators	:	
6.				Dominance T	est is >50	%		
7.				Prevalence Ir	ndex is ≤3.	0 <sup>1</sup>		
8.				Morphologica	al Adaptatio	ons <sup>1</sup> (Prov	/ide suppc	orting
	100	=Total Cover		data in Re	marks or o	n a sepai	ate sheet	)
Woody Vine Stratum (Plot size:)		—		Problematic I	Hydrophyti	c Vegetat	tion <sup>1</sup> (Expl	ain)
1				<sup>1</sup> Indicators of hyd be present, unles				/ must
% Bare Ground in Herb Stratum % C	over of Bi	=Total Cover		Hydrophytic Vegetation Present?	Yes	No	X	
Remarks:				1				

SOIL

Depth         Matrix         Redox Features           (inches)         Color (moist)         %         Type         Loc <sup>T</sup> Texture         Remarks           0-8         10YR 44         100	-	-	to the depth				ator or c	confirm the abse	ence of indicators	.)	
D-8       10YR 44       100       silt loam         D-8       10YR 44       100       silt loam         Image: Second and the second and th	· · –						$1 \text{ oc}^2$	Taxtura		Domorko	
OC       Intervent       Intervent       Intervent         "Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Costed Sand Grains. <sup>2</sup> Location: PL=Pore Lining, M=Matrix,         Hydric Soll Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Solls <sup>1</sup> :         Histos (A)       Sandy Redx (S5)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Glaged Matrix (S6)       2 cm Muck (A10) (LRR C)         Black Histic (A3)       Loamy Glaged Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F3)       Red Patrix Material (F21)         1 cm Muck (A9) (LRR D)       Redx Dark Surface (F7)       Other (Explain in Remarks)         Trick Dark Surface (A12)       Redx Dark Surface (F7)       Other (Explain in Remarks)         Sandy Muck Mineral (S1)       Sandy Muck Mineral (S1)       Sandy Muck Mineral (S1)         Sandy Gleyed Matrix (S4)       Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If observed):       Type:       rock         Type:       rock       Secondary Indicators (B1) (Riverine)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         Surface Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)<	<u> </u>			Color (moist)	%	Туре	LUC			Remarks	
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati	0-8	10YR 4/4	100					silt ioam			
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati						·					
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)       Indicators for Problematic Hydric Soils <sup>2</sup> :         Histic Epipedon (A2)       Stripped Matrix (S6)       1 cm Muck (A9) (LRR C)         Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F19)         Tick Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (If Observed):       Type:       rock       Matrix (S1)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)       Secondary Indicators (minimum of two required         Mydrace Water (A1)       Salt Crust (B12)       Sediment Deposits (B2) (Riverine)       Drift Deposits (B3) (Riverine)         Hydrogen Sufface (A13)       Aquatic Inverteartes (B13)       Drift Deposits (B3) (Riverine)       Drift Deposits (B3) (Riverine)         Saturati											
Histosol (A1)	<sup>1</sup> Type: C=Conc	entration, D=Depl	etion, RM=R	educed Matrix,	CS=Cove	ered or C	oated S				
Histic Epipedon (A2)       Stripped Matrix (S6)       2 cm Muck (A10) (LRR B)         Black Histic (A3)       Loamy Mucky Mineral (F1)       tron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Mucky Mineral (F1)       tron-Manganese Masses (F12) (LRR D)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F2)       Reduced Vertic (F18)         1 m Muck (A9) (LRR D)       Redox Dark Surface (F6)       Very Shallow Dark Surface (F22)         Depleted Below Dark Surface (A12)       Redox Depressions (F8)       Sandy Mucky Mineral (S1)         Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):       Type:       rock         Type:       rock       Mydrology Indicators:         Peth (inches):       8       Hydrology Indicators (minimum of one is required; check all that apply)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         Suface Water (A1)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Driadge Patterns (B10)         Saturation (A3)       Aquatic Invertebrates (B13)       Drif	Hydric Soil Ind	licators: (Applica	ble to all LR	Rs, unless oth	nerwise n	oted.)		Indi	cators for Proble	matic Hydric Soil	s <sup>3</sup> :
Black Histic (A3)       Loamy Mucky Mineral (F1)       Iron-Manganese Masses (F12) (LRR D)         Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR D)       Depleted Matrix (F3)       Red Parent Material (F21)         1 orn Muck (A9) (LRR D)       Redox Dark Surface (F6)       Uery Shallow Dark Surface (F22)         Depleted Below Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Dark Surface (F7)       Other (Explain in Remarks)         Sandy Mucky Mineral (S1)       Sandy Mucky Mineral (S1)       Sandy Mucky Mineral (S1)         Sandy Mucky Mineral (S1)       ************************************	Histosol (A	1)								-	
Hydrogen Sulfide (A4)       Loamy Gleyed Matrix (F2)       Reduced Vertic (F18)         Stratified Layers (A5) (LRR C)       Depleted Matrix (F3)       Red Parent Material (F21)         1 cm Muck (A9) (LRR D)       Redox Dark Surface (F6)       Very Shallow Dark Surface (F22)         Depleted Below Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Mucky Mineral (S1)         Sandy Gleyed Matrix (S4)       Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):       Type:       rock         Depth (inches):       8       Hydric Soil Present?       Yes       No_X         Remarks:       8       Hydric Soil Present?       Yes       No_X         Metland Hydrology Indicators:       Biotic Crust (B11)       Secondary Indicators (minimum of two required         Surface Water (A1)       Salt Crust (B11)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Dift Deposits (B3) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Dirti Deposits (B2) (Riverine)         Surface Water K11)       Saturation (A3)       Dirti Deposits (B3) (Norriverine)         Sutface Water (A1)       Satu	Histic Epipe	ədon (A2)		Stripped	Matrix (Se	6)			2 cm Muck (A10) (	LRR B)	
Stratified Layers (A5) (LRR C)       Depleted Matrix (F3)       Red Parent Material (F21)         1 cm Muck (A9) (LRR D)       Redox Dark Surface (F6)       Very Shallow Dark Surface (F22)         Depleted Below Dark Surface (A11)       Depleted Matrix (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Mucky Mineral (S1)         Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):       Type:       rock         Depth (inches):       8       Hydric Soil Present?       Yes       No X         Remarks:       8       Vers (B11)       Secondary Indicators (minimum of two required         Surface Water (A1)       Salt Crust (B11)       Secondary Indicators (minimum of two required         Surface Water (A1)       Salt Crust (B11)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Dritt Deposits (B3) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drit Deposits (B3) (Riverine)         Surface Stol Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation (C4)         Surface Stol Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)       Inin	Black Histic	: (A3)		Loamy N	lucky Min	eral (F1)			-		₹D)
1 cm Muck (A9) (LRR D)       Redox Dark Surface (F6)       Very Shallow Dark Surface (F22)         Depleted Below Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)       Sandy Mucky Mineral (S1)         Sandy Mucky Mineral (S1)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):         Type:       rock         Depth (inches):       8         Hydric Soil Present? Yes No X         Remarks:	Hydrogen S	Sulfide (A4)		Loamy G	leyed Ma	trix (F2)			Reduced Vertic (F	18)	
Depleted Below Dark Surface (A11)       Depleted Dark Surface (F7)       Other (Explain in Remarks)         Thick Dark Surface (A12)       Redox Depressions (F8)         Sandy Mucky Mineral (S1)       Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):       Type:       rock       rock         Depth (inches):       8       Hydric Soil Present?       Yes       No       X         Remarks:         HYDROLOGY         Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required: check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)       Shallow Aquitard (D3) </td <td></td> <td></td> <td>;)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>( )</td> <td></td>			;)							( )	
Thick Dark Surface (A12)       Redox Depressions (F8)         Sandy Gleyed Matrix (S4)       ************************************									•	. ,	
Sandy Mucky Mineral (S1) Sandy Gleyed Matrix (S4) Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed): Type:			e (A11)				)		Other (Explain in F	≀emarks)	
Sandy Gleyed Matrix (S4) <sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.         Restrictive Layer (if observed):       Type:       rock         Depth (inches):       8       Hydric Soil Present?       Yes       No_X         Remarks:         HYDROLOGY         Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Sufface Soil Cracks (B6)       Recent Iron Reduced Iron (C4)       Crayfish Burrows (C8)         Sufface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Sufface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       Surface Water Present?       Yes		( )		Redox D	epression	is (F8)					
Restrictive Layer (if observed):         Type:       rock         Depth (inches):       8         Hydric Soil Present?       YesNoX         Remarks:       Hydric Soil Present?       YesNoX         HYDROLOGY       Wetland Hydrology Indicators:       Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required         Surface Water (A1)			0								
Type:       rock         Depth (inches):       8         Remarks:             Wetland Hydrology Indicators:             Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquacic Invertebrates (B13)       Drift Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drianage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       Surface Water Present?       Yes       No       X         Surface Water Present?       Yes       No	Sandy Gley	/ed Matrix (S4)	<sup>3</sup> Indicators	of hydrophytic	vegetatio	n and we	etland hy	drology must be	present, unless dis	sturbed or problem	natic.
Depth (inches):       8       Hydric Soil Present?       Yes No _X         Remarks:       Remarks:<	Restrictive Lay	/er (if observed):	_		_	_					_
Remarks:         HYDROLOGY         Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)				_							
HYDROLOGY         Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):	Depth (inch	ies):	8					Hydric Soil Pro	esent?	Yes N	ю <u>Х</u>
Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):	Remarks:										
Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):	I										
Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):											
Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):											
Wetland Hydrology Indicators:         Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):											
Primary Indicators (minimum of one is required; check all that apply)       Secondary Indicators (minimum of two required)         Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drift Deposits (B3) (Riverine)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water -Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X         No       X       Depth (inches):       Vest	HYDROLOG	Y									
Surface Water (A1)       Salt Crust (B11)       Water Marks (B1) (Riverine)         High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (B7)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X         No       X       Depth (inches):       Water Table Present?	-										
High Water Table (A2)       Biotic Crust (B12)       Sediment Deposits (B2) (Riverine)         Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X         No       X       Depth (inches):       Explane (inches):	-		ne is require								equired)
Saturation (A3)       Aquatic Invertebrates (B13)       Drift Deposits (B3) (Riverine)         Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):		. ,			. ,				( )	. ,	
Water Marks (B1) (Nonriverine)       Hydrogen Sulfide Odor (C1)       Drainage Patterns (B10)         Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):											
Sediment Deposits (B2) (Nonriverine)       Oxidized Rhizospheres on Living Roots (C3)       Dry-Season Water Table (C2)         Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):		. ,				. ,					
Drift Deposits (B3) (Nonriverine)       Presence of Reduced Iron (C4)       Crayfish Burrows (C8)         Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):			-			``	,		0	( )	
Surface Soil Cracks (B6)       Recent Iron Reduction in Tilled Soils (C6)       Saturation Visible on Aerial Imagery (C9)         Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       Surface Water Present?       Yes       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):       Explanation (inches):			-		•		-				
Inundation Visible on Aerial Imagery (B7)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       Surface Water Present?       Yes       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):       Image: Comparison of the comparison of th			ine)								
Water-Stained Leaves (B9)       Other (Explain in Remarks)       FAC-Neutral Test (D5)         Field Observations:       Surface Water Present?       Yes       No       X       Depth (inches):       Depth (inches		( )					illed Soil			• •	(C9)
Field Observations:     No     X     Depth (inches):       Surface Water Present?     Yes     No     X       Water Table Present?     Yes     No     X			nagery (B7)			· · /					
Surface Water Present?       Yes       No       X       Depth (inches):         Water Table Present?       Yes       No       X       Depth (inches):		· · /		Other (E)	xplain in ෦	(emarks)			FAC-Neutral Test	(D5)	
Water Table Present? Yes No X Depth (inches):											
					• •	· -					
Saturation Present? Yes No X Depth (inches): Wetland Hydrology Present? Yes No X											
(includes capillary fringe)			s	No <u>X</u>	Depth (i	nches):		Wetland Hyd	Irology Present?	Yes N	<b>o</b> X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24; the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

Project/Site: Wautoma Solar	City/County: Benton County		Sampling Date:	3/17/2021					
Applicant/Owner: Innergex	Sta	ate: WA	Sampling Point:	WT-500					
Investigator(s): Jessica Taylor/Katie Pyne	Section, Township, Range: Sec	ction 20, Towns	ship 12, Range 24 E	ast					
Landform (hillside, terrace, etc.): Valley bottom	Local relief (concave, convex, non	e): concave	Slop	e (%): <u>3</u>					
Subregion (LRR): LRR B Lat: 46.494387°	Long: -119.84829	)7°	Datum:	NAD83					
Soil Map Unit Name: ReB Ritzville Silt Loam, 0 to 5 percent	t slopes	NWI classif	ication: None						
Are climatic / hydrologic conditions on the site typical for thi	s time of year? Yes X No	(If no, exp	plain in Remarks.)						
Are Vegetation, Soil, or Hydrologysigni	ficantly disturbed? Are "Normal Circumstar	nces" present?	Yes X No	»					
Are Vegetation, Soil, or Hydrologynature	rally problematic? (If needed, explain any	answers in Rer	marks.)						
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.									
Hydrophytic Vegetation Present? Yes X No	Is the Sampled Area								
Hydric Soil Present? Yes X No	within a Wetland?	Yes X	No						
Wetland Hydrology Present? Yes X No									
Remarks: Wetland occurs where there the joint in the irrigation pipeli	ne is leaking. The leak has been there long	enough to crea	te hydric soils.						

#### **VEGETATION – Use scientific names of plants.**

	Absolute	Dominant	Indicator	
Tree Stratum (Plot size:)	% Cover	Species?	Status	Dominance Test worksheet:
1				Number of Dominant Species That
2				Are OBL, FACW, or FAC: 1 (A)
3				Total Number of Dominant Species
4.				Across All Strata: 1 (B)
		=Total Cover		Percent of Dominant Species That
Sapling/Shrub Stratum (Plot size:	)			Are OBL, FACW, or FAC: 100.0% (A/B)
1				
2				Prevalence Index worksheet:
3				Total % Cover of: Multiply by:
4				OBL species 40 x 1 = 40
5				FACW species 0 x 2 = 0
		=Total Cover		FAC species 0 x 3 = 0
Herb Stratum (Plot size: 5)				FACU species 0 x 4 = 0
1. Typha latifolia	40	Yes	OBL	UPL species 0 x 5 = 0
2.				Column Totals: 40 (A) 40 (B)
3.				Prevalence Index = $B/A = 1.00$
4.				
5.				Hydrophytic Vegetation Indicators:
6.				X Dominance Test is >50%
7.				X Prevalence Index is ≤3.0 <sup>1</sup>
8.				Morphological Adaptations <sup>1</sup> (Provide supporting
	40	=Total Cover		data in Remarks or on a separate sheet)
Woody Vine Stratum (Plot size:	)	-		Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
1				<sup>1</sup> Indicators of hydric soil and wetland hydrology must
2.				be present, unless disturbed or problematic.
		=Total Cover		Hydrophytic
		_		Vegetation
% Bare Ground in Herb Stratum 60 %	Cover of Bio	tic Crust		Present? Yes X No
Remarks:				

SOIL

Profile Desc Depth	Matrix		Redo	x Featur	es			
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0-10	10YR 4/3	80	10YR 4/6	20	С	PL	silt loam	
10-15	10YR 4/4	100					silt loam	
		<u> </u>						
								- <u></u>
<i>,</i> ,	oncentration, D=Depl	-				oated S		cation: PL=Pore Lining, M=Matrix.
-	ndicators: (Applica	ble to all I			oted.)			ors for Problematic Hydric Soils <sup>3</sup> :
Histosol	. ,		Sandy Red					m Muck (A9) <b>(LRR C)</b>
	ipedon (A2)		Stripped M	•	,			m Muck (A10) <b>(LRR B)</b>
Black His	( )		Loamy Mu	-				-Manganese Masses (F12) (LRR D)
	n Sulfide (A4)		Loamy Gle	-				duced Vertic (F18)
	Layers (A5) (LRR C	)	Depleted N					Parent Material (F21)
	ck (A9) <b>(LRR D)</b>		Redox Da					y Shallow Dark Surface (F22)
	Below Dark Surface	: (A11)	Depleted [				<u>x</u> Oth	er (Explain in Remarks)
	rk Surface (A12)		X Redox De	pression	s (F8)			
	ucky Mineral (S1)	31	un of hudun hudin .			بمالم مراكب		
	leyed Matrix (S4)	muicait		regetation	n anu we	lianu ny	diology must be pres	sent, unless disturbed or problematic.
Restrictive L	.ayer (if observed):							
Type:			_				Uudrie Seil Dress	at2 Yoo X No
			<u> </u>				Hydric Soil Prese	nt? Yes <u>X</u> No
Type: Depth (ir Remarks:		soil indicat	ors due to seasona	ally ponde	ed soils		Hydric Soil Prese	nt? Yes <u>X</u> No
Type: _ Depth (ir Remarks: Soil:	nches):	soil indicat	ors due to seasona	ally ponde	ed soils		Hydric Soil Prese	nt? Yes <u>X</u> No
Type: Depth (ir Remarks: Soil: IYDROLO	nches):	soil indicat	ors due to seasona	ally ponde	ed soils		Hydric Soil Prese	nt? Yes <u>X</u> No
Type: Depth (ir Remarks: Soils YDROLO Wetland Hyd	nches): s do not meet hydric : GY				ed soils			
Type: Depth (ir Remarks: Soil: YDROLO Vetland Hyd Primary Indic	s do not meet hydric : GY Irology Indicators:			apply)	ed soils		<u>Second</u>	
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyo Primary Indic Surface High Wa	GY GY Grology Indicators: ators (minimum of or Water (A1) ter Table (A2)		red; check all that	apply) (B11)	ed soils		<u>Second</u>	ary Indicators (minimum of two require
Type: Depth (ir Remarks: Soil: YDROLO Vetland Hyo Primary Indic Surface	GY GY Grology Indicators: ators (minimum of or Water (A1) ter Table (A2)		red; check all that a	<u>apply)</u> (B11) st (B12)			<u>Second</u> Wa Sec	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b>
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyp Primary Indic Surface High Wa Saturatic Water M	GY Sado not meet hydric a GY Sators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonrivering)	ne is requi ne)	red; check all that i Salt Crust Biotic Crus Aquatic In Hydrogen	apply) (B11) st (B12) vertebrat Sulfide C	es (B13) Ddor (C1	)	<u>Second</u> Wa Sec Drif Dra	<u>ary Indicators (minimum of two require</u> ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10)
Type: Depth (ir Remarks: Soil: YDROLO Vetland Hyo Primary Indic Surface High Wa Saturatic Water M Sedimer	GY GY GY drology Indicators: eators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonriverin t Deposits (B2) (Non	ne is requi ne) nriverine)	red; check all that a Salt Crust Biotic Crus Aquatic In Hydrogen Oxidized F	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph	es (B13) Ddor (C1 eres on I	) Living R	<u>Second</u> Wa Sec Drif Drif Dra bots (C3) Dry	<u>ary Indicators (minimum of two require</u> ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2)
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyd Primary Indic Surface High Wa Saturatic Water M Sedimen Drift Dep	GY GY Grology Indicators: ators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonriverin t Deposits (B2) (Non osits (B3) (Nonriver	ne is requi ne) nriverine)	red; check all that a Salt Crust Biotic Crus Aquatic Im Hydrogen Oxidized F	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc	es (B13) Ddor (C1 eres on I ced Iron (	) Living R (C4)	<u>Second</u> Wa Sec Drif Dra pots (C3)Dry Cra	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8)
Type: Depth (ir Remarks: Soils IYDROLO Metland Hyd Primary Indic Surface High Wa Saturatic Water M Sedimen Drift Dep X Surface	GY drology Indicators: ators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonriverin t Deposits (B2) (Non iosits (B3) (Nonriveri Soil Cracks (B6)	ne is requi ne) nriverine) ine)	red: check all that a Salt Crust Biotic Crus Aquatic Im Oxidized F Presence Recent Iro	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti	) Living R (C4)	<u>Second</u> Wa Sec Drif Drif Dra bots (C3) Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9)
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyd Primary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep X Surface Inundatio	aches): a do not meet hydric : <b>GY</b> <b>trology Indicators:</b> <u>cators (minimum of or</u> Water (A1) ter Table (A2) on (A3) arks (B1) <b>(Nonriveri</b> t Deposits (B2) <b>(Non</b> osits (B3) <b>(Nonriver</b> Soil Cracks (B6) on Visible on Aerial Ir	ne is requi ne) nriverine) ine)	red; check all that a Salt Crust Biotic Crust Aquatic In Hydrogen Oxidized R Presence Recent Iro 7) Thin Muck	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7)	) Living R (C4) Iled Soi	Second Wa Sec Drif Drif Dra bots (C3) Dry Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3)
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyo Primary Indic Surface High Wa Saturatic Water M Sedimen Drift Dep X Surface Unundatic Water-Si	GY frology Indicators: ators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonrivering t Deposits (B2) (Nonrivering soils (B3) (Nonrivering Soil Cracks (B6) on Visible on Aerial In- tained Leaves (B9)	ne is requi ne) nriverine) ine)	red: check all that a Salt Crust Biotic Crus Aquatic Im Oxidized F Presence Recent Iro	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7)	) Living R (C4) Iled Soi	Second Wa Sec Drif Drif Dra bots (C3) Dry Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9)
Type: Depth (ir Remarks: Soils YDROLO Vetland Hyd Primary India Surface High Wa Saturatic Water M Sedimer Drift Dep X Surface Inundatic Water-Si Field Obser	aches): a do not meet hydric a <b>GY</b> <b>drology Indicators:</b> <u>cators (minimum of or</u> Water (A1) ter Table (A2) on (A3) arks (B1) <b>(Nonriverin</b> t Deposits (B2) <b>(Non</b> iosits (B3) <b>(Nonriveri</b> Soil Cracks (B6) on Visible on Aerial In tained Leaves (B9) <b>vations:</b>	ne is requi nriverine) ine) magery (B7	red; check all that a Salt Crust Biotic Crus Aquatic In Hydrogen Oxidized F Presence Recent Iro 7) Thin Muck Other (Exp	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) eemarks)	) Living R (C4) Iled Soi	Second Wa Sec Drif Drif Dra bots (C3) Dry Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3)
Type: Depth (ir Remarks: Soils IYDROLO Metland Hyd Primary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep X Surface Inundatic Water-S Field Obser	aches): a do not meet hydric a <b>GY</b> <b>drology Indicators:</b> ators (minimum of or Water (A1) ter Table (A2) on (A3) arks (B1) (Nonriverin t Deposits (B2) (Non iosits (B3) (Nonriveri Soil Cracks (B6) on Visible on Aerial In tained Leaves (B9) vations: er Present? Ye	ne is requi nriverine) ine) magery (B7	red: check all that a Salt Crust Biotic Crus Aquatic Im Oxidized F Presence Recent Iro 7) Thin Muck Other (Exp No X	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R Depth (ii	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) eemarks) nches): _	) Living R (C4) Iled Soi	Second Wa Sec Drif Drif Dra bots (C3) Dry Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3)
Type: Depth (ir Remarks: Soils IYDROLO Wetland Hyd Primary Indic Surface High Wa Saturatic Water M Sedimen Drift Dep X Surface Inundatic Water-Si Field Obsert Surface Water	aches): a do not meet hydric : a do not meet hydric	ne is requi nriverine) ine) magery (B) s	red; check all that a Salt Crust Biotic Crus Aquatic In Hydrogen Oxidized F Presence Recent Iro 7) Thin Muck Other (Exp No X No X	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc Surface olain in R Depth (ii Depth (ii	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) emarks) nches): _ nches): _	) Living R (C4) Iled Soi	Second Wa Sec Drif Dra bots (C3) S(C6) Sat X FAC	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3) C-Neutral Test (D5)
Type: Depth (ir Remarks: Soils IYDROLO Wetland Hyd Primary Indic Surface V High Wa Saturatio Water M Sedimen Drift Dep X Surface Unundatio Water-S Field Obsert Surface Wate Vater Table Saturation Pu	aches): a do not meet hydric : a do not meet hydric	ne is requi nriverine) ine) magery (B) s	red; check all that a Salt Crust Biotic Crus Aquatic In Hydrogen Oxidized F Presence Recent Iro 7) Thin Muck Other (Exp No X No X	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R Depth (ii	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) emarks) nches): _ nches): _	) Living R (C4) Iled Soi	Second Wa Sec Drif Drif Dra bots (C3) Dry Cra s (C6) Sat	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3) C-Neutral Test (D5)
Type: Depth (ir Remarks: Soils IYDROLO Wetland Hyp Primary Indic Surface V High Wa Saturatio Water M Sedimen Drift Dep X Surface V Mater-Si Field Observ Surface Wate Vater Table Saturation Pu (includes cap	aches): a do not meet hydric : a do not meet hydric	ne is requi nriverine) ine) magery (Bi sssssss	ired; check all that a	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R Depth (in Depth (in	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) emarks) nches):	) Living R (C4) Iled Soi	Second         Wa         Sec         Drif         Dra         poots (C3)         Dry         Cra         Sha         X         X         Wetland Hydrold	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3) C-Neutral Test (D5)
Type: Depth (ir Remarks: Soils IYDROLO Wetland Hyp Primary Indic Surface V High Wa Saturatio Water M Sedimen Drift Dep X Surface V Mater-Si Field Observ Surface Wate Vater Table Saturation Pu (includes cap	aches): a do not meet hydric : a do not meet hydric	ne is requi nriverine) ine) magery (Bi sssssss	ired; check all that a	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R Depth (in Depth (in	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) emarks) nches):	) Living R (C4) Iled Soi	Second         Wa         Sec         Drif         Dra         poots (C3)         Dry         Cra         Sha         X         X         Wetland Hydrold	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3) C-Neutral Test (D5)
Type: Depth (ir Remarks: Soils IYDROLO Wetland Hyp Primary Indic Surface V High Wa Saturatio Water M Sedimen Drift Dep X Surface V Mater-Si Field Observ Surface Wate Vater Table Saturation Pu (includes cap	aches): a do not meet hydric : a do not meet hydric	ne is requi nriverine) ine) magery (Bi sssssss	ired; check all that a	apply) (B11) st (B12) vertebrat Sulfide C Rhizosph of Reduc on Reduc s Surface olain in R Depth (in Depth (in	es (B13) Ddor (C1 eres on l ced Iron ( tion in Ti (C7) emarks) nches):	) Living R (C4) Iled Soi	Second         Wa         Sec         Drif         Dra         poots (C3)         Dry         Cra         Sha         X         X         Wetland Hydrold	ary Indicators (minimum of two require ter Marks (B1) <b>(Riverine)</b> liment Deposits (B2) <b>(Riverine)</b> t Deposits (B3) <b>(Riverine)</b> inage Patterns (B10) -Season Water Table (C2) yfish Burrows (C8) uration Visible on Aerial Imagery (C9) illow Aquitard (D3) C-Neutral Test (D5)

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24; the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

Project/Site: Wautoma Solar Project	(	City/County: Benton (	County	Sampling Date:	10/5/21
Applicant/Owner: Innergex			State: WA	Sampling Point:	SS501u
Investigator(s): Jessica Taylor and Katie Pyne	S	ection, Township, Rar	nge: S29 T12N R24E		
Landform (hillside, terrace, etc.): field	Loc	al relief (concave, con	vex, none): concave	Slop	e (%): 1
Subregion (LRR): LRR B Lat: _46°29'35.	78"N	Long: 11	9°50'36.01"W	Datum:	NAD83
Soil Map Unit Name: Warden silt loam, 0 to 5 perce	nt slopes		NWI classifi	cation:	
Are climatic / hydrologic conditions on the site typica	I for this time of year	? Yes X	No (If no, exp	lain in Remarks.)	
Are Vegetation, Soil, or Hydrology	significantly disturb	ed? Are "Normal C	rcumstances" present?	Yes <u>X</u> No	)
Are Vegetation, Soil, or Hydrology	naturally problema	tic? (If needed, exp	lain any answers in Rem	narks.)	
SUMMARY OF FINDINGS – Attach site	map showing sa	mpling point loc	ations, transects, i	important feat	ures, etc.
Hydric Soil Present? Yes	No X No X No X	Is the Sampled Ar within a Wetland?		No <u>X</u>	
Remarks: upland plot					
VEGETATION – Use scientific names of					
Tree Stratum (Plot size:)		ninant Indicator cies? Status	Dominance Test wor	ksheet:	
<u> </u>			Number of Dominant S		
2.			Are OBL, FACW, or F	AC:	0 (A)
3			Total Number of Domi Across All Strata:	nant Species	<u>1 (</u> B)
Sapling/Shrub Stratum (Plot size:		Cover	Percent of Dominant S Are OBL, FACW, or F	•	. <u>0%</u> (A/B)
2			Prevalence Index wo Total % Cover of:		ply by:
4.			OBL species 0	x 1 =	0
5			FACW species 0		0
	=Tota	Cover	FAC species 0		0
<u>Herb Stratum</u> (Plot size: <u>5</u> ) 1. Verbascum thapsus	5	No FACU	FACU species 65 UPL species 0		260
2. Cynodon dactylon		Yes FACU	Column Totals: 65		260 (B)
3.			Prevalence Index =		. ,
4.					
5			Hydrophytic Vegetati		
6			Dominance Test is		
7 8.			Prevalence Index	is ≤3.0 <sup>°</sup> aptations <sup>1</sup> (Provide :	supporting
o	65 =Tota	Cover		s or on a separate	
Woody Vine Stratum (Plot size:			Problematic Hydro	phytic Vegetation <sup>1</sup>	(Explain)
1			<sup>1</sup> Indicators of hydric so	il and wetland hyd	ology must
2			be present, unless dist	urbed or problema	tic.
		Cover	Hydrophytic Vegetation		
	% Cover of Biotic Cru	st	Present? Yes	<u> </u>	-
Remarks:					

SOIL

		to the depth				tor or o	confirm the absence	of indicators.)	
Depth	Matrix			ox Featu		1 2	<b>-</b> ,		
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks	
0-16	10YR 4/3	100					silt loam		
		·			·				
		·							
	·	·			·			·	—
		·							
	oncentration, D=Dep					bated Sa		cation: PL=Pore Lining, M=Matrix.	
-	Indicators: (Applica	able to all LR						ors for Problematic Hydric Soils <sup>3</sup> :	
Histoso			Sandy Re					n Muck (A9) <b>(LRR C)</b>	
	pipedon (A2)		Stripped I	•				n Muck (A10) <b>(LRR B)</b>	
	istic (A3)		Loamy M	-				-Manganese Masses (F12) (LRR D)	
	en Sulfide (A4)		Loamy G	-				luced Vertic (F18)	
	d Layers (A5) <b>(LRR C</b>	C)	Depleted					Parent Material (F21)	
	uck (A9) <b>(LRR D)</b>		Redox Da		. ,			y Shallow Dark Surface (F22)	
	d Below Dark Surface	e (A11)	Depleted				Oth	er (Explain in Remarks)	
	ark Surface (A12)		Redox De	epression	ns (F8)				
·	Aucky Mineral (S1)	3							
Sandy C	Gleyed Matrix (S4)	Indicators	of hydrophytic	vegetatio	on and we	tland hy	drology must be pres	sent, unless disturbed or problematic.	
Restrictive	Layer (if observed):								
Type:			_						
Depth (i	nches):		_				Hydric Soil Prese	nt? Yes No	Х
Remarks:									
HYDROLO	DGY								
Wetland Hy	drology Indicators:								
Primary Indi	cators (minimum of c	one is required	l; check all that	apply)			Second	ary Indicators (minimum of two require	<u>ed)</u>
Surface	Water (A1)		Salt Crus	t (B11)			Wat	er Marks (B1) <b>(Riverine)</b>	
High W	ater Table (A2)		Biotic Cru	ıst (B12)			Sed	iment Deposits (B2) (Riverine)	
Saturati	on (A3)		Aquatic Ir				Drift	: Deposits (B3) (Riverine)	
Water N	/larks (B1) <b>(Nonriveri</b>	ine)	Hydrogen					nage Patterns (B10)	
Sedime	nt Deposits (B2) <b>(Nor</b>	nriverine)	Oxidized	Rhizosph	neres on L	iving R	oots (C3) Dry-	Season Water Table (C2)	
Drift De	posits (B3) <b>(Nonrive</b> r	rine)	Presence	of Redu	ced Iron (	C4)	Cra	yfish Burrows (C8)	
	Soil Cracks (B6)		Recent In			led Soil		uration Visible on Aerial Imagery (C9)	
Inundat	on Visible on Aerial I	magery (B7)	Thin Muc					llow Aquitard (D3)	
Water-S	Stained Leaves (B9)		Other (Ex	plain in F	Remarks)		FAC	C-Neutral Test (D5)	
Field Obse									
Surface Wa	ter Present? Ye	es	No <u>X</u>		inches):				
Water Table		es	No <u>X</u>		inches):				
Saturation F	Present? Ye	es	No <u>X</u>	Depth (	inches):		Wetland Hydrold	ogy Present? Yes No	Х
	pillary fringe)						1		
Describe Re	corded Data (stream	gauge, moni	oring well, aeri	al photos	, previous	s inspec	tions), if available:		
Remarks:									

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24; the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

Project/Site: Wauton	oject/Site: Wautoma Solar Project					ounty: E	Benton Coun	Sampling Date:	10/5/21		
Applicant/Owner:	Innergex							State:	WA	Sampling Point:	SS501w
Investigator(s): Jessi	ca Taylor and	d Katie Py	/ne		Section,	Towns	hip, Range:	S29 T12	2N R24E		
Landform (hillside, te	errace, etc.):	field			Local relie	f (conca	ave, convex,	none): co	oncave	Slo	be (%): <u>1</u>
Subregion (LRR):	LRR B	Lat:	46°29'3	5.78"N		Lo	ong: <u>119°50</u>	)'36.01"W		Datum:	NAD83
Soil Map Unit Name:	Warden silt	loam, 0 te	o 5 perc	ent slopes				N	WI classif	fication: None	
Are climatic / hydrold	gic condition	s on the s	site typic	al for this time	of year?	Yes	X No	D	(If no, exp	olain in Remarks.)	
Are Vegetation	, Soil	, or Hydro	ology	significantly	disturbed?	Are "No	ormal Circun	nstances"	present?	Yes <u>X</u> N	0
Are Vegetation	, Soil	, or Hydro	ology	naturally pro	oblematic?	(If need	ded, explain	any answ	ers in Rei	marks.)	
SUMMARY OF I	INDINGS	– Attac	h site	map showi	ng samplii	n <mark>g po</mark> i	int locatio	ons, tra	nsects,	important feat	ures, etc.
Hydrophytic Vegeta Hydric Soil Present'		Yes Yes		No No			pled Area etland?	Y	∕es X	Νο	

Hydric Soil Present? Wetland Hydrology Present?	Yes X Yes X	No No	within a Wetland?	Yes X	No	
Remarks:						

Remarks:

Wetland is at joint in irrigation pipeline that has a steady leak. Wetland vegetation was obvious in the fall but was not observed during spring site visits. Aquatic insects (water boatmen) were present in standing water.

#### **VEGETATION – Use scientific names of plants.**

-	Absolute	Dominant	Indicator	
Tree Stratum (Plot size:)	% Cover		Status	Dominance Test worksheet:
1				Number of Dominant Species That
2.				Are OBL, FACW, or FAC: 2 (A)
3.				Total Number of Dominant Species
4				Across All Strata: 2 (B)
	-	=Total Cover		Percent of Dominant Species That
Sapling/Shrub Stratum (Plot size:	)			Are OBL, FACW, or FAC:(A/B)
1			. <u> </u>	
2				Prevalence Index worksheet:
3				Total % Cover of: Multiply by:
4.				OBL species 40 x 1 =40
5				FACW species 30 x 2 = 60
		=Total Cover		FAC species 0 x 3 = 0
Herb Stratum (Plot size: 5 )				FACU species 0 x 4 = 0
1. Typha latifolia	40	Yes	OBL	UPL species 0 x 5 = 0
2. Echinochloa crus-galli	30	Yes	FACW	Column Totals: 70 (A) 100 (B)
3				Prevalence Index = $B/A = 1.43$
4.				
5				Hydrophytic Vegetation Indicators:
6				X Dominance Test is >50%
7				X Prevalence Index is ≤3.0 <sup>1</sup>
8.				Morphological Adaptations <sup>1</sup> (Provide supporting
	70	=Total Cover		data in Remarks or on a separate sheet)
Woody Vine Stratum (Plot size:	)			Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
1				<sup>1</sup> Indicators of hydric soil and wetland hydrology must
2.				be present, unless disturbed or problematic.
		=Total Cover		Hydrophytic
				Vegetation
% Bare Ground in Herb Stratum 30 %	Cover of Bio	tic Crust	_	Present? Yes X No
Remarks:				•

SOIL

	cription: (Describe t	o the depth				tor or c	confirm the absen	ce of indicators.)	
Depth	Matrix		Redo	x Featu	res				
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Rem	arks
0-6	10YR 3/1	100					silt loam		
6-16	10YR 4/3	100					silt loam		
<sup>1</sup> Type: C=C	oncentration, D=Depl	etion, RM=F	Reduced Matrix, C	CS=Cov	ered or Co	bated Sa	and Grains. <sup>2</sup> L	ocation: PL=Pore Linin	g, M=Matrix.
Hydric Soil	Indicators: (Applical	ble to all LF	RRs, unless othe	erwise r	noted.)		Indica	ators for Problematic I	lydric Soils <sup>3</sup> :
Histosol	(A1)		Sandy Red	dox (S5)	)		1	cm Muck (A9) (LRR C)	
Histic E	oipedon (A2)		Stripped M	latrix (S	6)		2	cm Muck (A10) (LRR B	)
Black Hi	istic (A3)		Loamy Mu	cky Min	eral (F1)		Ire	on-Manganese Masses	(F12) <b>(LRR D)</b>
Hydroge	en Sulfide (A4)		Loamy Gle	eyed Ma	trix (F2)		R	educed Vertic (F18)	
Stratified	d Layers (A5) <b>(LRR C</b>	)	Depleted N	Matrix (F	-3)		R	ed Parent Material (F21	)
1 cm Mu	uck (A9) <b>(LRR D)</b>		Redox Da	rk Surfa	ce (F6)		V	ery Shallow Dark Surfac	ce (F22)
Deplete	d Below Dark Surface	(A11)	Depleted [	Dark Su	rface (F7)		хо	ther (Explain in Remark	s)
Thick Da	ark Surface (A12)		Redox Dep	oression	ns (F8)				
Sandy N	lucky Mineral (S1)								
Sandy G	Bleyed Matrix (S4)	<sup>3</sup> Indicators	s of hydrophytic v	egetatic	on and we	tland hy	drology must be pr	esent, unless disturbed	or problematic.
Restrictive	Layer (if observed):								
Type:									
Depth (i	nches):						Hydric Soil Pres	ent? Yes	X No
Remarks:	_								
	erent than surroundin	g soils whic	h are 10YR 4/3 w	/ith no s	tratificatio	n in the	profile. Wetland ar	ea has obligate wetland	l vegetation and
aquatic inse		0						C C	0
HYDROLO	)GY								
Wetland Hy	drology Indicators:								
-	cators (minimum of o	ne is require	d; check all that	apply)			Secor	dary Indicators (minimu	um of two required)
X Surface	·		Salt Crust					ater Marks (B1) (Riveri	
	ater Table (A2)		Biotic Crus	` '				ediment Deposits (B2)	
Saturatio	( )		Aquatic In	. ,	ites (B13)			rift Deposits (B3) (River	
	larks (B1) <b>(Nonriveri</b> i	ne)	Hydrogen					rainage Patterns (B10)	- /
	nt Deposits (B2) (Non	•	Oxidized F		( )			ry-Season Water Table	(C2)
	oosits (B3) (Nonriveri	-	Presence			-		rayfish Burrows (C8)	(- )
· ·	Soil Cracks (B6)		Recent Iro		,	,		aturation Visible on Aeri	al Imagery (C9)
	on Visible on Aerial Ir	nagery (B7)	Thin Muck					hallow Aquitard (D3)	a:age.y (ee)
	tained Leaves (B9)		Other (Exp					AC-Neutral Test (D5)	
Field Obser	( )				,				
Surface Wat		s X	No	Depth (	inches):	2			
Water Table				• •	inches):				
Saturation P		s X			inches):	4	Wetland Hydro	ology Present? Yes	X No
	pillary fringe)			- op (					<u> </u>
	corded Data (stream	gauge, mon	itoring well, aeria	l photos	s, previous	inspec	tions), if available:		
Remarks:									

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24: the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

See ERDU/		24, iiie p	noponei	n ageney	13 0200	00 1			-
Project/Site: Wautoma	Solar Project	t			City/C	ounty: <u>Benton</u>	County	Sampling Date:	10/5/21
Applicant/Owner:	nnergex						State: WA	Sampling Point:	SS502
Investigator(s): Jessica	a Taylor and K	Katie Pyne			Section	, Township, Ra	ange: S29 T12N R24E		
Landform (hillside, terr	ace, etc.): fie	ld			Local reli	ef (concave, co	nvex, none): <u>flat</u>	Slo	pe (%):
Subregion (LRR): L	RR B	Lat: 46°	29'31.71"	N		Long: 1	19°50'4.52"W	Datum:	NAD83
Soil Map Unit Name: S	Scooteney silt	loam, 0 to	5 percent	t slopes			NWI class	ification:	
Are climatic / hydrologi	ic conditions (	on the site	typical for	this time o	f year?	Yes X	No (If no, ex	kplain in Remarks.)	
Are Vegetation,	Soil, o	or Hydrolog	gysi	gnificantly o	disturbed?	Are "Normal (	Circumstances" present	? Yes N	o
Are Vegetation,	Soil, o	or Hydrolog	gyn	aturally prol	blematic?	(If needed, ex	plain any answers in Re	emarks.)	
SUMMARY OF FI	NDINGS -	Attach	site ma	p showin	ng sampli	ng point lo	cations, transects	, important feat	ures, et
Hydrophytic Vegetatic Hydric Soil Present? Wetland Hydrology Pl Remarks: Upland plot for wetlan	resent?	Yes Yes Yes	No No	X X X		he Sampled A hin a Wetland		NoX	
VEGETATION – L	Jse scienti	ific nam	es of pla	ants. Absolute	Dominant	Indicator	Γ		
Tree Stratum	(Plot size:	15	)	% Cover	Species?		Dominance Test wo	orksheet:	
1. Ulmus pumila				30	Yes	UPL	Number of Dominant	t Species That	
2.							Are OBL, FACW, or	FAC:	<u>0</u> (A
3.							Total Number of Don Across All Strata:	ninant Species	2 (B
4.				30	=Total Cove	er	Percent of Dominant	Species That	_2(B
Sapling/Shrub Stratur	<u>n</u> (Plot	size:	)				Are OBL, FACW, or	•	).0% (A
1									
2							Prevalence Index w		
3.							Total % Cover of		iply by:
4 5							OBL species FACW species	$\begin{array}{c} 0 & x \ 1 = \\ 0 & x \ 2 = \end{array}$	0
···					=Total Cove	er	FAC species		0
Herb Stratum	(Plot size:	5	)					60 x 4 =	240
1. Cynodon dactylon	1			60	Yes	FACU	· · ·		150
2.									<u>390</u> (B
3							Prevalence Index	= B/A = 4.33	3
5							Hydrophytic Vegeta	tion Indicators:	
6.							Dominance Test		
7.							Prevalence Inde		
8.								daptations <sup>1</sup> (Provide	
	·= ·			60	=Total Cove	er		rks or on a separate	,
Woody Vine Stratum	· ·	size:						Irophytic Vegetation <sup>1</sup>	
1 2.							<sup>1</sup> Indicators of hydric be present, unless di	•	•••
					=Total Cove	er			
% Bare Ground in He	rb Stratum	40	% C	over of Biot			Hydrophytic Vegetation Present? Yes	s NoX	
Remarks:							!		_

SOIL

		to the depth				tor or o	confirm the absence	of indicators.)	
Depth	Matrix			ox Featu	4	. 2	_	_	
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	R	emarks
0-12	10YR 3/3	100					silt loam		
					·				
					·				
					·				
					·				
<sup>1</sup> Type: C=Co	oncentration, D=Dep	oletion. RM=R	educed Matrix.	CS=Cov	ered or Co	pated S	and Grains. <sup>2</sup> Loc	ation: PL=Pore Li	ning, M=Matrix,
	ndicators: (Applic							rs for Problemati	· ·
Histosol			Sandy Re		,			Muck (A9) <b>(LRR</b>	•
	vipedon (A2)		Stripped I					Muck (A10) (LRR	-
Black His			Loamy M					Manganese Mass	
	n Sulfide (A4)		Loamy G	•	. ,			uced Vertic (F18)	, (IIII) (IIIII)
	Layers (A5) <b>(LRR</b> (	C)	Depleted	•	. ,			Parent Material (F	21)
	ck (A9) <b>(LRR D)</b>	0)	Redox Da		,			Shallow Dark Sur	,
	Below Dark Surfac	o (A11)	Depleted					r (Explain in Rema	
	irk Surface (A12)	e (ATT)	Redox De				Othe		11(5)
	lucky Mineral (S1)			pression	15 (1-0)				
	leyed Matrix (S4)	<sup>3</sup> Indicators	of hydrophytic	voqotatic	on and wo	tland by	drology must be prese	ont unloss disturb	od or problomatic
				vegetatio		uanu ny	alology must be prese		
	_ayer (if observed)	:							
Type:	rock	10	_						•• • •
Depth (ir	iches):	12	_				Hydric Soil Presen	t? Ye	es No_X
Remarks:									
HYDROLO	GY								
Wetland Hyd	drology Indicators:	1							
Primary Indic	cators (minimum of	one is required	d; check all that	apply)			Seconda	ry Indicators (mini	mum of two required
Surface	Water (A1)		Salt Crus	t (B11)			Wate	er Marks (B1) <b>(Riv</b>	erine)
High Wa	ter Table (A2)		Biotic Cru	ist (B12)			Sedi	ment Deposits (B2	2) (Riverine)
Saturatio	on (A3)		Aquatic Ir	nvertebra	tes (B13)		Drift	Deposits (B3) (Riv	/erine)
Water M	arks (B1) <b>(Nonriver</b>	ine)	Hydrogen	Sulfide	Odor (C1)		Drair	nage Patterns (B1	))
Sedimen	t Deposits (B2) (No	nriverine)	Oxidized	Rhizosph	neres on L	iving R	oots (C3) Dry-	Season Water Tab	vle (C2)
Drift Dep	osits (B3) (Nonrive	rine)	Presence	of Redu	ced Iron (	C4)	Cray	fish Burrows (C8)	
Surface	Soil Cracks (B6)		Recent Ire	on Redu	ction in Til	led Soil	s (C6) Satu	ration Visible on A	erial Imagery (C9)
Inundatio	on Visible on Aerial	Imagery (B7)	Thin Muc	k Surface	e (C7)		Shal	low Aquitard (D3)	
Water-St	tained Leaves (B9)		Other (Ex	plain in F	Remarks)		FAC	-Neutral Test (D5)	
Field Obser	vations:								
Surface Wat	er Present? Y	es	No X	Depth (	inches):				
Water Table		es	No X		inches):				
Saturation Pr		es	No X		inches):		Wetland Hydrolo	av Present? Ye	es No X
(includes cap				-1 - 1				5,	· · · · · · · · · · · · · · · · · · ·
	corded Data (stream	n gauge, moni	toring well, aeria	al photos	, previous	inspec	tions), if available:		
	(	5 5 5	J, 201			1.20	<i>,,</i> <u></u>		
Remarks:							-		
I									

#### U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Arid West Region See ERDC/EL TR-07-24; the proponent agency is CECW-CO-R

OMB Control #: 0710-xxxx, Exp: Pending Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

			<b> </b>			_					
Project/Site: Wautor	ma Solar Proje	ct		City/Cou	unty: <u>Benton</u>	Count	y		Sampling Da	te: <u>10</u>	)/5/21
Applicant/Owner:	Innergex						WA	Sampling Po	int:	SS502w	
Investigator(s): Jess	ica Taylor and	Katie Pyne		Section,	Township, Ra	ange:	S29 T1	2N R24E			
Landform (hillside, t	errace, etc.): fi	eld		Local relief	(concave, co	nvex,	none): fl	at		Slope (S	%): 1
Subregion (LRR):	LRR B	Lat: 46°29'3	31.71"N		Long: 1					m: N/	AD83
Soil Map Unit Name							Ν	IWI classif	ication: None		
Are climatic / hydrol	ogic conditions	on the site typi	ical for this time of	f year?	Yes X	No		(If no, exp	lain in Remarks	s.)	
Are Vegetation	, Soil ,	or Hydrology	significantly of	disturbed?					Yes X		
Are Vegetation					(If needed, ex						
SUMMARY OF					ig point lo	catio	ns, tra	nsects,	important fo	eature	s, etc.
Hydrophytic Vegeta Hydric Soil Present Wetland Hydrology	t?	Yes <u>X</u> Yes <u>X</u> Yes <u>X</u>	No No No		e Sampled A in a Wetland		١	∕es <u>X</u>	No		
Remarks: Wetland is at joint i visits. Aquatic inse			steady leak. Wet	-	on was obviou	us in th	ie fall bu	t was not c	bserved during	spring	site
<b>VEGETATION</b> -	- Use scien	tific names	of plants.								
Tree Stratum	(Plot size:	15 )	Absolute % Cover	Dominant Species?	Indicator Status	Do	minance	e Test wor	ksheet:		
1. <u>Ulmus pumila</u> 2.			50	Yes	UPL			Dominant S ACW, or F	Species That AC:	2	(A)
3.							al Numb		nant Species	з	(B)

3		<u> </u>		Total Number of Dom Across All Strata:	3	(B)	
Sapling/Shrub Stratum (Plot size:) 1	50	_=Total Cover			cent of Dominant Species That OBL, FACW, or FAC:		
2. 3.				Prevalence Index we Total % Cover o	f:	Multiply by	/:
4		·			<u>0 x 1 =</u>		_
5		=Total Cover			$x_{2} = \frac{x_{2}}{x_{3}}$		_
Herb Stratum (Plot size: 5)					2 x3= 2 x4=		_
1. Typha latifolia	20	Yes	OBL		x 5 =	250	_
2. Echinochloa crus-galli	20	Yes	FACW	Column Totals: 9	0 (A)	310	(B)
3.				Prevalence Index	= B/A =	3.44	-
4.							
5.		,		Hydrophytic Vegetat	ion Indicator	s:	
6				X Dominance Test	is >50%		
7				Prevalence Index			
8				Morphological Ad			
_	40	=Total Cover		data in Remark	s or on a sep	arate sheet)	
Woody Vine Stratum (Plot size:)				Problematic Hydr	ophytic Veget	ation <sup>1</sup> (Expla	ain)
1.				<sup>1</sup> Indicators of hydric s be present, unless dis			must
% Bare Ground in Herb Stratum 60 % Cov	ver of Bi	=Total Cover		Hydrophytic Vegetation Present? Yes	_X No	o	
			_		<u></u>	<u> </u>	
Remarks:							

SOIL

Depth	inplion. (Describe la	o the depth	needed to docu	ument the in	ndicator or	confirm the absence	of indicators.)
Dopin	Matrix		Redo	x Features			
(inches)	Color (moist)	%	Color (moist)	<u>%</u> Ty	/pe <sup>1</sup> Loc <sup>2</sup>	Texture	Remarks
0-3	10YR 3/1	100				silt loam	
3-5	10YR 3/3	100				silt loam	
		<u> </u>		<u> </u>			
<sup>1</sup> Type: C=C	oncentration, D=Deple	etion, RM=R	educed Matrix, C	S=Covered	or Coated S		ation: PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators: (Applicat	ole to all LR	Rs, unless othe	rwise note	d.)	Indicato	rs for Problematic Hydric Soils <sup>3</sup> :
Histosol	(A1)		Sandy Rec	dox (S5)			n Muck (A9) <b>(LRR C)</b>
	oipedon (A2)		Stripped M	. ,			n Muck (A10) <b>(LRR B)</b>
	stic (A3)			cky Mineral	. ,		Manganese Masses (F12) <b>(LRR D)</b>
	n Sulfide (A4)			eyed Matrix (	F2)		uced Vertic (F18)
	d Layers (A5) (LRR C)		Depleted N	. ,			Parent Material (F21)
	ick (A9) <b>(LRR D)</b>			k Surface (F	,		Shallow Dark Surface (F22)
	Below Dark Surface	(A11)		Dark Surface	. ,	X Othe	er (Explain in Remarks)
	ark Surface (A12)		Redox Dep	pressions (F	8)		
	lucky Mineral (S1)	<sup>3</sup> Indiantors	of hydrophytic y	a actation or	d watland b	dralagy must be pres	ant unloss disturbed or problematic
	eleyed Matrix (S4)	Indicators		egetation ar	ia wetiana nj	varology must be pres	ent, unless disturbed or problematic.
	Layer (if observed):						
Type:	rock		_				
Depth (ir	nches): 5		_			Hydric Soil Preser	nt? Yes <u>X</u> No
Remarks:							
Soils are diff	erent than surrounding	g soils and I	have horizons pre	esent. There	are also ob	idate wetland vedetati	on and aquatic insects present
						3	on and aquate models present.
						<u>.</u>	
HYDROLC							
Wetland Hy	drology Indicators:						· · · ·
Wetland Hy Primary India	drology Indicators: cators (minimum of on	ne is require				<u>Seconda</u>	ary Indicators (minimum of two required)
Wetland Hy Primary India X Surface	<b>drology Indicators:</b> <u>cators (minimum of on</u> Water (A1)	ne is require	Salt Crust	(B11)		<u>Seconda</u> Wat	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b>
Wetland Hy Primary India X Surface High Wa	drology Indicators: cators (minimum of on Water (A1) ater Table (A2)	ne is require	Salt Crust Biotic Crus	(B11) st (B12)		<u>Seconda</u> Wat Sed	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b>
Wetland Hy           Primary India           X           Surface           High Wa           Saturation	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3)		Salt Crust Biotic Crus Aquatic Inv	(B11) st (B12) vertebrates (	(B13)	Seconda Wat Sed	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b>
Wetland Hype           Primary India           X         Surface           High Water M	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) <b>(Nonriverin</b>	ie)	Salt Crust Biotic Crus Aquatic Inv Hydrogen	(B11) st (B12) vertebrates ( Sulfide Odo	(B13) r (C1)	<u>Seconda</u> Wat Sed Drift Drai	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> ment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10)
Wetland Hype           Primary India           X         Surface           High Water M           Sediment	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Non	ne) riverine)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R	(B11) st (B12) vertebrates ( Sulfide Odo thizospheres	(B13) r (C1) s on Living R	Seconda Wat Sed Drift Drai Drai oots (C3)Dry-	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> ment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2)
Wetland Hy           Primary India           X         Surface           High Wa           Saturatio           Water M           Sedimer           Drift Dep	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Nonriverin posits (B3) (Nonriverin	ne) riverine)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence	(B11) st (B12) vertebrates ( Sulfide Odo chizospheres of Reduced	(B13) r (C1) s on Living R Iron (C4)	Seconda Wat Sed Drift Drai Drai Drai Cray	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Non	ne) riverine) ne)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence o Recent Iro	(B11) st (B12) vertebrates ( Sulfide Odo chizospheres of Reduced n Reduction	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Satu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin th Deposits (B2) (Nonriverin Soils (B3) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im	ne) riverine) ne)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Thin Muck	(B11) st (B12) vertebrates ( Sulfide Odo thizosphere: of Reduced n Reduction Surface (CT	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7)	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Statu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin nt Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9)	ne) riverine) ne)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Thin Muck	(B11) st (B12) vertebrates ( Sulfide Odo chizospheres of Reduced n Reduction	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7)	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Statu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio Water-S	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin nt Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations:	ne) riverine) ne)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence o Recent Iro Thin Muck Other (Exp	(B11) st (B12) vertebrates ( Sulfide Odo thizosphere: of Reduced n Reduction Surface (CT	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks)	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Statu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio Water-S Field Obser Surface Wat	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin to Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations: er Present? Yes	ne) riverine) ne) nagery (B7)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Thin Muck Other (Exp	(B11) st (B12) vertebrates ( Sulfide Odo thizospheres of Reduced n Reduction Surface (C7 Jain in Rem	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks) es): <u>4</u>	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Statu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3)
Wetland Hy Primary India X Surface High Wa Saturatia Water M Sedimer Drift Dep Surface Inundatia Water-S Field Obser	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations: er Present? Yes Present? Yes	ne) riverine) ne) nagery (B7)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Thin Muck Other (Exp No No X	(B11) st (B12) vertebrates ( Sulfide Odo thizospheres of Reduced n Reduction Surface (C alain in Rem	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks) es): <u>4</u> es): <u>4</u>	Seconda          Wat          Sed          Drift          Drai           oots (C3)        Dry-          Cray           Is (C6)        Statu	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3) -Neutral Test (D5)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio Water-S Field Obser Surface Wat Water Table	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations: er Present? Yes Present? Yes	ne) riverine) ne) nagery (B7)	Salt Crust Biotic Crus Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Thin Muck Other (Exp No No X	(B11) st (B12) vertebrates ( Sulfide Odo thizospheres of Reduced n Reduction Surface (C7 Jain in Rem Depth (inch Depth (inch	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks) es): <u>4</u> es): <u>4</u>	Seconda Wat Sed Drift Drai oots (C3) Cray Is (C6) Satu X FAC	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3) -Neutral Test (D5)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio Water-S Field Obser Surface Wat Water Table Saturation P (includes cap	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations: er Present? Yes Present? Yes	ne) riverine) nagery (B7) s X s X	Salt Crust Biotic Crus Aquatic Im Hydrogen Oxidized R Presence o Recent Iro Thin Muck Other (Exp No No X No	(B11) (B12) vertebrates ( Sulfide Odo Chizospheres of Reduced n Reduction Surface (C Iain in Rem Depth (inch Depth (inch Depth (inch	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks) es): <u>4</u> es): <u>6</u>	Seconda Wat Sed Drift Drai oots (C3) Cray Is (C6) Satu X FAC	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3) -Neutral Test (D5)
Wetland Hy Primary India X Surface High Wa Saturatio Water M Sedimer Drift Dep Surface Inundatio Water-S Field Obser Surface Wat Water Table Saturation P (includes cap	drology Indicators: cators (minimum of on Water (A1) ater Table (A2) on (A3) larks (B1) (Nonriverin at Deposits (B2) (Nonriverin Soil Cracks (B6) on Visible on Aerial Im tained Leaves (B9) vations: er Present? Yes present? Yes present? Yes pillary fringe)	ne) riverine) nagery (B7) s X s X	Salt Crust Biotic Crus Aquatic Im Hydrogen Oxidized R Presence o Recent Iro Thin Muck Other (Exp No No X No	(B11) (B12) vertebrates ( Sulfide Odo Chizospheres of Reduced n Reduction Surface (C Iain in Rem Depth (inch Depth (inch Depth (inch	(B13) r (C1) s on Living R Iron (C4) in Tilled Soi 7) arks) es): <u>4</u> es): <u>6</u>	Seconda Wat Sed Drift Drai oots (C3) Cray Is (C6) Satu X FAC	ary Indicators (minimum of two required) er Marks (B1) <b>(Riverine)</b> iment Deposits (B2) <b>(Riverine)</b> Deposits (B3) <b>(Riverine)</b> nage Patterns (B10) Season Water Table (C2) rfish Burrows (C8) irration Visible on Aerial Imagery (C9) low Aquitard (D3) -Neutral Test (D5)

## **RATING SUMMARY – Eastern Washington**

Name of wetland (or ID #): _	WT500	Date of site visit:	3/17/21
Rated by Jess Taylor and Kat	ie Pyne Trained by Ecol	ogy?Yes <u>x</u> No Date of tra	ining
HGM Class used for rating De	pressional Wetl	and has multiple HGM classes	? Y <sub>x</sub> N

**NOTE:** Form is not complete without the figures requested (*figures can be combined*). Source of base aerial photo/map USDA NAIP 2018

**OVERALL WETLAND CATEGORY** <u>IV</u> (based on functions <u>x</u> or special characteristics\_\_\_)

## 1. Category of wetland based on FUNCTIONS

Category I – Total score = 22-27

\_\_\_\_\_Category II – Total score = 19-21

\_\_\_\_\_Category III – Total score = 16-18

\_\_\_\_\_X \_\_\_Category IV – Total score = 9-15

FUNCTION	Improving Water Quality		Hydrologic			Habitat						
Circle the appropriate ratings												
Site Potential	Н	Μ	L	)	Н	М		)	Н	Μ	(1)	
Landscape Potential	Н	М	C		Н	M	Ì		Н	Μ	$\overline{0}$	
Value	Н	Μ			Н	Μ	(	)	Н	Μ	0	TOTAL
Score Based on Ratings		3				4				3		10

#### Score for each function based on three ratings (order of ratings is not *important*) 9 = H, H, H8 = H, H, M7 = H, H, L7 = H,M,M6 = H, M, L6 = M,M,M5 = H,L,L5 = M, M, L4 = M, L, L3 = L, L, L

### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	<b>CATEGORY</b> Circle the appropriate category
Vernal Pools	II III
Alkali	Ι
Wetland of High Conservation Value	I
Bog and Calcareous Fens	I
Old Growth or Mature Forest – slow growing	I
Aspen Forest	Ι
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	х

## Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	N/A
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	N/A
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	5
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	5
Map of the contributing basin	D 5.3	1
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	_
polygons for accessible habitat and undisturbed habitat		5
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	Attached
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	Attached

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	Н 1.1, Н 1.5	
Hydroperiods	Н 1.2, Н 1.3	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	

## HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1. Does the entire unit **meet both** of the following criteria?

The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size At least 30% of the open water area is deeper than 10 ft (3 m)



**YES –** The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_The wetland is on a slope (*slope can be very gradual*),
  - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
  - \_\_\_\_The water leaves the wetland **without being impounded**.

NO go to 3

YES – The wetland class is **Slope** 

**NOTE:** Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river;
    - \_\_\_\_ The overbank flooding occurs at least once every 10 years.




YES – The wetland class is **Riverine** 

**NOTE:** The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 5



5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland Rating System for Eastern WA: 2014 Update Rating Form – Effective January 1, 2015 Wetland name or number\_WT500\_

**NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine (the riverine portion is within	Doprossional
the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland:	
Wetland has no surface water outlet points = 5	
Wetland has an intermittently flowing outlet points = 3	3
Wetland has a highly constricted permanently flowing outlet points = 3	Ŭ
Wetland has a permanently flowing, unconstricted, surface outlet points = 1	
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils)	
YES = 3 NO = 0	0
D 1.3. Characteristics of persistent vegetation (Emergent, Scrub-shrub, and/or Forested Cowardin classes)	
Wetland has persistent, ungrazed, vegetation for $> 2/3$ of area points = 5	
Wetland has persistent, ungrazed, vegetation from $\frac{1}{3}$ to $\frac{2}{3}$ of area points = 3	1
Wetland has persistent, ungrazed vegetation from $\frac{1}{10}$ to $< \frac{1}{3}$ of area points = 1	I
Wetland has persistent, ungrazed vegetation $< \frac{1}{10}$ of area points = 0	
D 1.4. Characteristics of seasonal ponding or inundation:	
This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded.	
Area seasonally ponded is > ½ total area of wetland points = 3	
Area seasonally ponded is 1/4 - 1/2 total area of wetland points = 1	1
Area seasonally ponded is < ¼ total area of wetland points = 0	
Total for D 1 Add the points in the boxes above	5

D 2.0. Does the landscape have the potential to support the water quality function of the site?			
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1 No	) = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1 No	0 = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1 No	0 = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question D 2.1- D 2.3? Source	s Yes = 1 No	0 = 0	0
Total for D 2Add the points	in the boxes at	ove	0

**Rating of Landscape Potential** If score is: \_\_\_\_3 or 4 = H \_\_\_\_1 or 2 = M  $_X_0$  = L Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list?	0
Yes = 1 No = 0	U
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0	0
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality ( <i>answer YES if there is a TMDL for the drainage or basin in which the wetland is found</i> )? Yes = 2 No = 0	0
Total for D 3Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M x 0 = I Record the rating on the	ne first naae

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.	Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. <u>Characteristics of surface water outflows from the wetland</u> : Wetland has no surface water outlet points = 8 Wetland has an intermittently flowing outlet points = 4 Wetland has a highly constricted permanently flowing outlet points = 4 Wetland has a permanently flowing unconstricted surface outlet points = 0 (If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")	4
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry). Seasonal ponding: > 3 ft above the lowest point in wetland or the surface of permanent ponding points = 8 Seasonal ponding: 2 ft - < 3 ft above the lowest point in wetland or the surface of permanent pondingpoints = 6 The wetland is a headwater wetland points = 1 ft points = 2 Seasonal ponding: < 6 in or wetland has only saturated soils points = 0	0
Total for D 4Add the points in the boxes aboveRating of Site Potential If score is:12-16 = H6-11 = MX 0-5 = LRecord the rating on the state of the	4

D 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	0
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates	runoff? Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with inten-	sive human land uses? Yes = 1 No = 0	1
Total for D 5 A	Add the points in the boxes above	1
Rating of Landscape Potential If score is: 3 = H1 or 2 = M0 = L	Record the rating on th	ne first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
<ul> <li>D 6.1. <u>The wetland is in a landscape that has flooding problems</u>. Choose the description that best matches conditions around the wetland being rated. <i>Do not add points</i>. <i>Choose the highest score if more than one condition is met</i>. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND</li> <li>Flooding occurs in sub-basin that is immediately down-gradient of wetland points = 2</li> </ul>	0
Surface flooding problems are in a sub-basin farther down-gradient points = 1 The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	
Explain whypoints = 0There are no problems with flooding downstream of the wetlandpoints = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6Add the points in the boxes above	0

#### Rating of Value If score is: 2-4 = H \_\_1 = M \_\_\_0 = L

<b><u>RIVERINE WETLANDS</u></b> Water Quality Functions - Indicators that the site functions to improve	water quality	Points (only 1 score per box)
R 1.0. Does the site have the potential to improve water quality?		
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments	during a flooding event:	
Depressions cover $>^1/_3$ area of wetland	points = 6	
Depressions cover $> 1/10$ area of wetland	points = 3	
Depressions present but cover $< \frac{1}{10}$ area of wetland	points = 1	
No depressions present	points = 0	
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height; not	Cowardin classes):	
Forest or shrub $> ^{2}/_{3}$ the area of the wetland	points = 10	
Forest or shrub $\frac{1}{3} - \frac{2}{3}$ area of the wetland	points = 5	
Ungrazed, herbaceous plants $> 2/3$ area of wetland	points = 5	
Ungrazed herbaceous plants $\frac{1}{3} - \frac{2}{3}$ area of wetland	points = 2	
Forest, shrub, and ungrazed herbaceous $< \frac{1}{3}$ area of wetland	points = 0	
Total for R 1 Add the	e points in the boxes above	

 Rating of Site Potential
 If score is:
 12-16 = H
 6-11 = M
 0-5 = L

Record the rating on the first page

R 2.0. Does the landscape have the potential to support the water quality function of the site?		
R 2.1. Is the wetland within an incorporated city or within its UGA?	Yes = 2 No = 0	
R 2.2. Does the contributing basin include a UGA or incorporated area?	Yes = 1 No = 0	
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests tha within the last 5 years?	t have been clearcut Yes = 1 No = 0	
R 2.4. Is > 10% of the area within 150 ft of wetland in land uses that generate pollutants	Yes = 1 No = 0	
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in qu	estions	
R 2.1-R 2.4? Source	Yes = 1 No = 0	
Total for R 2Add the point	s in the boxes above	
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L	Record the rating on the fir	st page

R 3.0. Is the water quality improvement provided by the site valuable to society	?
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	
	Yes = 1 No = 0
R 3.2. Does the river or stream have TMDL limits for nutrients, toxics, or pathogens?	Yes = 1 No = 0
R 3.3. Has the site been identified in a watershed or local plan as important for maintain YES if there is a TMDL for the drainage in which wetland is found.	ning water quality? Answer Yes = 2 No = 0
Total for R 3 Add the	points in the boxes above

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

RIVERINE WETLANDS		Points
Hydrologic Functions - Indicators that site functions to reduce flooding	ng and stream erosion	(only 1 score per box)
R 4.0. Does the site have the potential to reduce flooding and erosion?		
R 4.1. Characteristics of the overbank storage the wetland provides:		
Estimate the average width of the wetland perpendicular to the direction of th stream or river channel (distance between banks). Calculate the ratio: (average		
width of stream between banks).	e waan of weathing (average	
If the ratio is more than 2	points = 10	
If the ratio is 1-2	points = 8	
If the ratio is ½-<1	points = 4	
If the ratio is $\frac{1}{4} - \frac{1}{2}$	points = 2	
If the ratio is $< \frac{1}{4}$	points = 1	
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat lo	arge woody debris as forest or	
shrub. Choose the points appropriate for the best description (polygons need t	to have > 90% cover at person	
height. These are NOT Cowardin classes).		
Forest or shrub for more than $^{2}/_{3}$ the area of the wetland	points = 6	
Forest or shrub for $>^{1}/_{3}$ area OR emergent plants $>^{2}/_{3}$ area	points = 4	
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area	points = 2	
Plants do not meet above criteria	points = 0	
Total for R 5 Add t	the points in the boxes above	
tating of Site Potential If score is: 12-16 = H6-11 = M0-5 = L	Record the rating or	n the first page
R 5.0. Does the landscape have the potential to support the hydrologic function	ions of the site?	
R 5.1. Is the stream or river adjacent to the wetland downcut?	Yes = 0 No = 1	

R 5.1. Is the stream or river adjacent to the wetland downcut?	Yes = 0 No = 1	
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?	Yes = 1 No = 0	
R 5.3. Is the up-gradient stream or river controlled by dams?	Yes = 0 No = 1	
Total for R 5	Add the points in the boxes above	
Rating of Landscape Potential       If score is: 3 = H       1 or 2 = M       0 = L	Record the rating on the first page	

<b>Rating of Landscape Potential</b>	If score is:	3 = H	1 or 2 = M	

R 6.0. Are the hydrologic functions provided by the site valuable to society	y?
R 6.1. Distance to the nearest areas downstream that have flooding problems? <i>Ch</i> the site.	
The sub-basin immediately down-gradient of site has surface flooding prol	blems that result in damage to
human or natural resources	points = 2
Surface flooding problems are in a basin farther down-gradient	points = 1
No flooding problems anywhere downstream	points = 0
R 6.2. Has the site been identified as important for flood storage or flood conveya	ance in a regional flood control
plan?	Yes = 2 No = 0
Total for R 6 Ad	dd the points in the boxes above
Rating of Value If score is: 2-4 = H 1 = M 0 = L	Record the rating on the first page

points = 6 points = 3 points = 1 points = 0	
points = 3 points = 1	
points = 3 points = 1	
points = 1	
•	
points = 0	
s in the highest ants can be either ardin classes. Area aquatic bed.	
points = 6	
points = 4	
points = 3	
points = 3	
points = 1	
points = 0	
the boxes above	
t	rdin classes. Area aquatic bed. points = 6 points = 4 points = 3 points = 3 points = 1 points = 0

L 2.0. Does the landscape have the potential to support the water quality function of the site?		
L 2.1. Is the lake used by power boats?	Yes = 1 No = 0	
L 2.2. Is > 10% of the area within 150 ft of wetland on the upland side in land uses that gen	erate pollutants? Yes = 1 No = 0	
L 2.3. Does the lake have problems with algal blooms or excessive plants such as milfoil?	Yes = 1 No = 0	
Total for L 2   Add the point	ints in the boxes above	
Rating of Landscape Potential If score is: 2 or 3 = H 1 = M 0 = L	Record the rating on the first page	

L 3.0. Is the water quality improvement provided by the site valuable to socie	ety?
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources?	Yes = 1 No = 0
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic re 303(d) list)?	esource in the basin is on the Yes = 1 No = 0
L 3.3. Has the site been identified in a watershed or local plan as important for maint YES if there is a TMDL for the lake or basin in which wetland is found.	taining water quality? <i>Answer</i> Yes = 2 No = 0
Total for L 3 Add t	the points in the boxes above
Rating of Value         If score is:         2-4 = H         1 = M         0 = L	Record the rating on the first page

LAKE FRINGE WETLANDS Hydrologic Functions - Indicators that the wetland unit functions to reduce sho	oreline erosion	Points (only 1 score per box)
L 4.0. Does the site have the potential to reduce shoreline erosion?		
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> i <i>Choose the highest scoring description that matches conditions in the wetland.</i> > ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide > ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide > ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide Plants are at least 6 ft (2 m) wide (do not include Aquatic Bed) Plants are less than 6 ft (2 m) wide (do not include Aquatic Bed)	nclude Aquatic Bed): points = 6 points = 4 points = 4 points = 2 points = 0	
Rating of Site Potential If score is:6 = M0-5 = L	Record the rating on	the first page

L 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
L 5.1. Is the lake used by power boats with more than 10 hp? Yes = 1 No = 0		
L 5.2. Is the fetch on the lake side of the wetland at least 1 mile in distance? Yes = 1 No =		
Total for L 5	Add the points in the boxes above	
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L	Record the rating on the first p	bage

L 6.0. Are the hydrologic functions provided by the site valuable to society?	
L 6.1. Are there resources, both human and natural, along the shore that can be impacted by er	osion?
If more than one resource is present, choose the one with the highest score.	
There are human structures or old growth/mature forests within 25 ft of OHWM of the swetland	shore in the
	points = 2
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1
Other resources that could be impacted by erosion	points = 1
There are no resources that can be impacted by erosion along the shores of the wetland	points = 0
Rating of Value If score is: 2 = H 1 = M 0 = L	Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland name or number\_WT500\_

SLOPE WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of average slope of wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 j horizontal distance) Slope is 1% or less	
Slope is > 1% - 2% points	
Slope is > 2% - 5% points	
Slope is greater than 5% points	= 0
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or tureorganic (use NRCS definitions): Yes = 3 No	0 = c
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means y	ou
have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points	= 6
Dense, uncut, herbaceous plants > ½ of area points	= 3
Dense, woody, plants > ½ of area points	= 2
Dense, uncut, herbaceous plants > ¼ of area points	= 1
Does not meet any of the criteria above for plants points	= 0
Total for S 1Add the points in the boxes about	ove
Rating of Site Potential If score is: 12 = H 6-11 = M 0-5 = L Record the ratin	g on the first page

S 2.0. Does the landscape have the potential to support the water quality function at the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?	
Yes = 1 No = 0	
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	
Other sources Yes = 1 No = 0	
Total for S 2Add the points in the boxes above	

Rating of Landscape Potential If score is: 1-2 = M 0 = L

Record the rating on the first page

S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly to a stream, river, or lake that is on the 303(d) list (within 1 mi)?	
Yes = 1 No = 0	
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the	
basin is on the $303(d)$ list. Yes = 1 No = 0	
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer	
YES if there is a TMDL for the drainage or basin in which wetland is found)? Yes = 2 No = 0	
Total for S 3Add the points in the boxes above	

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

Stope wertands Hydrologic Functions - Indicators that the site functions to reduce floodi S 4.0. Does the site have the potential to reduce flooding and erosion?	ng and erosion (d	oints only 1 core per lox)
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Cl appropriate for the description that best fits conditions in the wetland. Stems of p enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.		
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland All other conditions	points = 1 points = 0	

Rating of Site Potential If score is: 1 = M 0 = L

Record the rating on the first page

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses that generate excess surface		
runoff? Yes = 1 No = 0		

**Rating of Landscape Potential** If score is: \_\_\_\_1 = M \_\_\_\_0 = L

Record the rating on the first page

S 6.0. Are the hydrologic functions provided by the site valuable to society?	
S 6.1. Distance to the nearest areas downstream that have flooding problems:	
The sub-basin immediately down-gradient of site has surface flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds)points = 2Surface flooding problems are in a sub-basin farther down-gradientpoints = 1No flooding problems anywhere downstreampoints = 0	
S 6.2. Has the site been identified as important for flood storage and flood conveyance in a regional flood control	
plan? Yes = 2 No = 0	
Total for S 6Add the points in the boxes above	
Rating of Value       If score is:       2-4 = H       1 = M       0 = L       Record the rating on the second	he first page

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	(only 1
ABITAT FUNCTIONS - Indicators that site functions to provide important habitat	score per box)
1 1.0. Does the wetland have the potential to provide habitat for many species?	- '
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover	
	1
I 1.2. Is one of the vegetation types Aquatic Bed?Yes = 1No = 0	0
<ul> <li>H 1.3. Surface water</li> <li>H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands.</li> <li>H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No.</li> <li>Yes = 3 No = 0</li> </ul>	0
<ul> <li>1.4. <u>Richness of plant species</u> <ul> <li>Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. Different patches of the same species can be combined to meet the size threshold. You do not have to name the species.             <ul></ul></li></ul></li></ul>	0
1 1.5. Interspersion of habitats	Figure
Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Low = 1 point Htree diagrams in this row are High = 3 points	1
Riparian braided channels with 2 classes	

Wetland name or number\_WT500

<ul> <li>H 1.6. Special habitat features</li> <li>Check the habitat features that are present in the wetland. TheLoose rocks larger than 4 in OR large, downed, woody debr ponding or in stream.</li> <li>Cattails or bulrushes are present within the wetland.</li> <li>Cattails or bulrushes are present within the wetland.</li> <li>Standing snags (diameter at the bottom &gt; 4 in) in the wetla</li> <li>Emergent or shrub vegetation in areas that are permanent</li> <li>Stable steep banks of fine material that might be used by b slope) OR signs of recent beaver activity</li> <li>Invasive species cover less than 20% in each stratum of vegetation</li> </ul>	ris (> 4 in diameter) within the area of surface and or within 30 m (100 ft) of the edge. Iy inundated/ponded. beaver or muskrat for denning (> 45 degree	2
herbaceous, moss/ground cover) Total for H 1	Add the points in the boxes above	4

H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
<i>Calculate:</i> % undisturbed habitat + [(% moderate and low intensity land uses)/2] $50$ =%	
> <sup>1</sup> / <sub>3</sub> (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	0
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
<i>Calculate:</i> % undisturbed habitat <u>0</u> + [(% moderate and low intensity land uses)/2] <u>50</u> = <u>0</u> %	
Undisturbed habitat > 50% of Polygon points = 3	0
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	0
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (- 2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	0
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	
Total for H 2 Add the points in the boxes above	0

<u>Rating of Landscape Potential</u> If score is: <u>4-9 = H</u> <u>1-3 = M</u> <u>X</u> < 1 = L Record the rating on the first page

3.1. Does the site provide habitat for species valued in laws, regulations, or policie	s? Choose the highest score	
that applies to the wetland being rated		
Site meets ANY of the following criteria:	points = 2	
<ul> <li>It has 3 or more priority habitats within 100 m (see Appendix B)</li> </ul>		
<ul> <li>It provides habitat for Threatened or Endangered species (any plant or an</li> </ul>	imal on state or federal lists)	
<ul> <li>It is mapped as a location for an individual WDFW species</li> </ul>		
<ul> <li>It is a Wetland of High Conservation Value as determined by the Departm</li> </ul>	ent of Natural Resources	0
<ul> <li>It has been categorized as an important habitat site in a local or regional of</li> </ul>	comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan		
Site has 1 or 2 priority habitats within 100 m (see Appendix B)	points = 1	
Site does not meet any of the criteria above	points = 0	

**<u>Rating of Value</u>** If score is: 2 = H 1 = M X = C Record the rating on the first page

Wetland name or number\_WT500\_

## **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft <sup>2</sup> , and does it meet at least two of the following criteria?	
<ul> <li>Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater input.</li> </ul>	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to <b>SC 1.1</b> No = <b>Not a vernal pool</b> SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other wetlands, rivers, lakes etc.)? Yes = Category II No = Category III No = Category III	Cat. II Cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet <b>one</b> of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
— If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of salt.	
<b>OR</b> does the wetland unit meet two of the following three sub-criteria?	
<ul> <li>— Salt encrustations around more than 75% of the edge of the wetland</li> </ul>	
— More than ¾ of the plant cover consists of species listed on Table 4	
— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands. Yes = Category I No= Not an alkali wetland	Cat. I
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to <b>SC 3.2</b> No – Go to <b>SC 3.3</b>	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and it is listed	
on their website? Yes = <b>Category I</b> No = <b>Not a WHCV</b>	1

SC 4.0 Bogs and Calcareous Fens	
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in	bogs or
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. <b>If you answe</b>	er yes
you will still need to rate the wetland based on its functions.	
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats c	or
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key	
<i>identify organic soils</i> . Yes – Go to <b>SC 4.3</b> No – Go to	
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in de	ep over
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake	
pond? Yes – Go to SC 4.3 No = Is not a bog for	
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 3	•
the total plant cover consists of species in Table 5? Yes = <b>Category I bog</b> No – Go to	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that cr	
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less that	
and the plant species in Table 5 are present, the wetland is a bog.	13.0
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western	
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?	Cat. I
Yes = <b>Category I bog</b> No – Go to	SC A E
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats	
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to	
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and	
	mucks,
AND one of the two following conditions is met:	<b>C</b> -+ 1
— Marl deposits [calcium carbonate (CaCO <sub>3</sub> ) precipitate] occur on the soil surface or plant stems	Cat. I
— The pH of free water is $\geq$ 6.8 AND electrical conductivity is $\geq$ 200 uS/cm at multiple locations with	
wetland Yes = Is a Category I calcareous fen No = Is not a calcareo	us ten

SC 5.0. Forested Wetlands Does the wetland have an area of forest rooted within its boundary that meets at least one of the following three criteria? ( <i>Continue only if you have identified that a forested class is present</i>	
in question H 1.1) — The wetland is within the 100 year floodplain of a river or stream	
<ul> <li>Aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species</li> <li>There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or</li> </ul>	
"old-growth" according to the definitions for these priority habitats developed by WDFW (see definitions in question H3.1)	
Yes – Go to <b>SC 5.1</b> No = <b>Not a forested wetland with special characteristics</b> SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow	Cat. I
growing native trees ( <i>see Table 7</i> )? Yes = <b>Category I</b> No – Go to <b>SC 5.2</b>	
SC 5.2. Does the wetland have areas where aspen ( <i>Populus tremuloides</i> ) represents at least 20% of the total cover of woody species?Yes = Category INo – Go to SC 5.3	Cat. I
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by cover) are fast growing species (see Table 7)? Yes = Category II No – Go to SC 5.4	Cat. II
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II No = Not a forested wetland with special characteristics	Cat. II
Category of wetland based on Special Characteristics	
Choose the highest rating if wetland falls into several categories If you answered No for all types, enter "Not Applicable" on Summary Form	N/A

# **Appendix B: WDFW Priority Habitats in Eastern Washington**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <u>http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</u> or access the list from here: <u>http://wdfw.wa.gov/conservation/phs/list/</u>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland: *NOTE: This question is independent of the land use between the wetland and the priority habitat.* 

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Old-growth/Mature forests: <u>Old-growth east of Cascade crest</u> Stands are highly variable in tree species composition and structural characteristics due to the influence of fire, climate, and soils. In general, stands will be >150 years of age, with 10 trees/ac (25 trees/ha) that are > 21 in (53 cm) dbh, and 1-3 snags/ac (2.5-7.5 snags/ha) that are > 12-14 in (30-35 cm) diameter. Downed logs may vary from abundant to absent. Canopies may be single or multi-layered. Evidence of human-caused alterations to the stand will be absent or so slight as to not affect the ecosystem's essential structures and functions. <u>Mature forests</u> Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west and 80-160 years old east of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or
  other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 12 in (30 cm)in eastern Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- **Shrub-steppe:** A nonforested vegetation type consisting of one or more layers of perennial bunchgrasses and a conspicuous but discontinuous layer of shrubs (see Eastside Steppe for sites with little or no shrub cover).
- Eastside Steppe: Nonforested vegetation type dominated by broadleaf herbaceous flora (i.e., forbs), perennial bunchgrasses, or a combination of both. Bluebunch wheatgrass (*Pseudoroegneria spicata*) is often the prevailing cover component along with Idaho fescue (*Festuca idahoensis*), Sandberg bluegrass (*Poa secunda*), rough fescue (*F. campestris*), or needlegrasses (*Achnatherum* spp.).
- Juniper Savannah: All juniper woodlands.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland Rating System for Eastern WA: 2014 Update Effective January 1, 2015 Appendix B This page left blank intentionally

## **RATING SUMMARY – Eastern Washington**

Name of wetland (or ID #):	WT501	Date of site visit:	10/5/21
Rated by Jess Taylor and Katie	e Pyne Trained by Ecology	?Yes No Date of tra	ining
HGM Class used for rating Dep	vressional Wetland	has multiple HGM classes	? <u>Y_</u> N

**NOTE:** Form is not complete without the figures requested (figures can be combined). Source of base aerial photo/map USDA NAIP 2018

**OVERALL WETLAND CATEGORY** <u>IV</u> (based on functions <u>x</u> or special characteristics\_\_\_)

## 1. Category of wetland based on FUNCTIONS

Category I – Total score = 22-27

\_\_\_\_\_Category II – Total score = 19-21

\_\_\_\_\_Category III – Total score = 16-18

\_\_\_\_\_X \_\_\_Category IV – Total score = 9-15

FUNCTION	Improving Water Quality			Hydrologic			I	Habitat				
			Circ	le	the a	pprop	oriat	te ro	itings			
Site Potential	Н	М	L	)	Н	Μ		.)	Н	Μ	( )	
Landscape Potential	Н	Μ	C	)	Н	М	) i	-	Н	Μ		
Value	Н	Μ			н	Μ	6	)	Н	Μ	Ū	TOTAL
Score Based on Ratings		3				4				3		10

Score for each function based on three ratings (order of ratings is not *important*) 9 = H, H, H8 = H, H, M7 = H, H, L7 = H,M,M6 = H, M, L6 = M,M,M5 = H,L,L5 = M, M, L4 = M, L, L3 = L, L, L

### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	<b>CATEGORY</b> Circle the appropriate category
Vernal Pools	п ш
Alkali	I
Wetland of High Conservation Value	I
Bog and Calcareous Fens	Ι
Old Growth or Mature Forest – slow growing	I
Aspen Forest	Ι
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	х

## Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	N/A
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	N/A
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	N/A
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	5
Map of the contributing basin	D 5.3	1
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	5
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	Attached
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	Attached

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	Н 1.1, Н 1.5	
Hydroperiods	Н 1.2, Н 1.3	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants (can be added to figure above)	S 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	


# HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1. Does the entire unit **meet both** of the following criteria?

The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size \_At least 30% of the open water area is deeper than 10 ft (3 m)



**YES –** The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_The wetland is on a slope (*slope can be very gradual*),
  - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
  - \_\_\_\_The water leaves the wetland **without being impounded**.

NO go to 3

YES – The wetland class is **Slope** 

**NOTE:** Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river;
    - \_\_\_\_ The overbank flooding occurs at least once every 10 years.




YES – The wetland class is **Riverine** 

**NOTE:** The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 5



5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland Rating System for Eastern WA: 2014 Update Rating Form – Effective January 1, 2015 Wetland name or number\_WT501\_

**NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine (the riverine portion is within	Doprossional
the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
0 1.1. Characteristics of surface water outflows from the wetland:	
Wetland has no surface water outlet points = 5	
Wetland has an intermittently flowing outlet points = 3	3
Wetland has a highly constricted permanently flowing outlet points = 3	Ŭ
Wetland has a permanently flowing, unconstricted, surface outlet points = 1	
0 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils)	•
YES = 3 NO = $0$	0
0 1.3. <u>Characteristics of persistent vegetation</u> (Emergent, Scrub-shrub, and/or Forested Cowardin classes)	
Wetland has persistent, ungrazed, vegetation for $>^2/_3$ of area points = 5	
Wetland has persistent, ungrazed, vegetation from $\frac{1}{3}$ to $\frac{2}{3}$ of area points = 3	1
Wetland has persistent, ungrazed vegetation from $\frac{1}{10}$ to $\frac{1}{3}$ of area points = 1	1
Wetland has persistent, ungrazed vegetation $< 1/10$ of area points = 0	
0 1.4. Characteristics of seasonal ponding or inundation:	
This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded.	
Area seasonally ponded is > $\frac{1}{2}$ total area of wetland points = 3	
Area seasonally ponded is $\frac{1}{4} - \frac{1}{2}$ total area of wetland points = 1	1
Area seasonally ponded is < ¼ total area of wetlandpoints = 0	
Total for D 1 Add the points in the boxes above	5

D 2.0. Does the landscape have the potential to support the water quality function of the	e site?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1	No = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1	No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1	No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questio D 2.1- D 2.3? Source	ns Yes = 1	No = 0	0
Total for D 2Add the points	s in the boxes	above	0

**Rating of Landscape Potential** If score is: \_\_\_\_3 or 4 = H \_\_\_\_1 or 2 = M  $_X_0$  = L Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or lake that is on the 303(d) list?	0	
Yes = 1 No = 0	U	
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in some aquatic resource [303(d) list, eutrophic lakes, problems with nuisance and toxic algae]? Yes = 1 No = 0		
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality ( <i>answer YES if there is a TMDL for the drainage or basin in which the wetland is found</i> )? Yes = 2 No = 0		
Total for D 3Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M x 0 = I Record the rating on the	ne first naae	

<u>**Rating of Value</u>** If score is: 2-4 = H 1 = M  $\chi 0 = L$ </u>

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.	Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. <u>Characteristics of surface water outflows from the wetland</u> : Wetland has no surface water outlet points =	8
Wetland has an intermittently flowing outlet points =	
Wetland has a highly constricted permanently flowing outletpoints =Wetland has a permanently flowing unconstricted surface outletpoints =(If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")points =	4
<ul> <li>D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry).</li> <li>Seasonal ponding: &gt; 3 ft above the lowest point in wetland or the surface of permanent ponding points = Seasonal ponding: 2 ft - &lt; 3 ft above the lowest point in wetland or the surface of permanent pondingpoints = The wetland is a headwater wetland</li> <li>Seasonal ponding: 1 ft - &lt; 2 ft points = Seasonal ponding: 6 in - &lt; 1 ft points = Seasonal ponding: &lt; 6 in or wetland has only saturated soils</li> </ul>	6 4 4 2
Total for D 4Add the points in the boxes above	e 4
Rating of Site PotentialIf score is:12-16 = H6-11 = MX0-5 = LRecord the rating on	-

D 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges? Yes = 1 No = 0		0
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that generates runoff? Yes = 1 No = 0		0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		1
Total for D 5Add the points in the boxes above		1
Rating of Landscape Potential If score is: 3 = H1 or 2 = M0 = L	Record the rating on th	ne first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
<ul> <li>D 6.1. <u>The wetland is in a landscape that has flooding problems</u>.</li> <li>Choose the description that best matches conditions around the wetland being rated. <i>Do not add points</i>.</li> <li><i>Choose the highest score if more than one condition is met</i>.</li> <li>The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND</li> </ul>	
Flooding occurs in sub-basin that is immediately down-gradient of wetlandpoints = 2Surface flooding problems are in a sub-basin farther down-gradientpoints = 1	0
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	
Explain why points = 0	
There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6Add the points in the boxes above	0

#### Rating of Value If score is: 2-4 = H \_\_\_1 = M \_\_\_0 = L

<b><u>RIVERINE WETLANDS</u></b> Water Quality Functions - Indicators that the site functions to improve water quality		Points (only 1 score per box)
R 1.0. Does the site have the potential to improve water quality?		
R 1.1. Area of surface depressions within the Riverine wetland that can trap sedim	nents during a flooding event:	
Depressions cover $>^{1}/_{3}$ area of wetland	points = 6	
Depressions cover $> 1/10$ area of wetland	points = 3	
Depressions present but cover $< \frac{1}{10}$ area of wetland	points = 1	
No depressions present	points = 0	
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height;	not Cowardin classes):	
Forest or shrub $> ^{2}/_{3}$ the area of the wetland	points = 10	
Forest or shrub $\frac{1}{3} - \frac{2}{3}$ area of the wetland	points = 5	
Ungrazed, herbaceous plants $> 2/3$ area of wetland	points = 5	
Ungrazed herbaceous plants $\frac{1}{3} - \frac{2}{3}$ area of wetland	points = 2	
Forest, shrub, and ungrazed herbaceous < 1/3 area of wetland	points = 0	
Total for R 1 Ad	ld the points in the boxes above	

Rating of Site PotentialIf score is:12-16 = H6-11 = M0-5 = L

Record the rating on the first page

R 2.0. Does the landscape have the potential to support the water quality function of the site?		
R 2.1. Is the wetland within an incorporated city or within its UGA?	Yes = 2 No = 0	
R 2.2. Does the contributing basin include a UGA or incorporated area?	Yes = 1 No = 0	
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that within the last 5 years?	at have been clearcut Yes = 1 No = 0	
R 2.4. Is > 10% of the area within 150 ft of wetland in land uses that generate pollutants	Yes = 1 No = 0	
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions		
R 2.1-R 2.4? Source	Yes = 1 No = 0	
Total for R 2Add the point	ts in the boxes above	
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L	Record the rating on the first pa	

R 3.0. Is the water quality improvement provided by the site valuable to society?	?
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	
	Yes = 1 No = 0
R 3.2. Does the river or stream have TMDL limits for nutrients, toxics, or pathogens?	Yes = 1 No = 0
R 3.3. Has the site been identified in a watershed or local plan as important for maintain YES if there is a TMDL for the drainage in which wetland is found.	ing water quality? Answer Yes = 2 No = 0
Total for R 3 Add the	points in the boxes above

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

<b><u>RIVERINE WETLANDS</u></b> Hydrologic Functions - Indicators that site functions to reduce floo	ding and stream erosion	Points (only 1 score per box)
R 4.0. Does the site have the potential to reduce flooding and erosion?		• •
R 4.1. Characteristics of the overbank storage the wetland provides: Estimate the average width of the wetland perpendicular to the direction of stream or river channel (distance between banks). Calculate the ratio: (aver width of stream between banks).		
If the ratio is more than 2	points = 10	
If the ratio is 1-2	points = 8	
If the ratio is ½-<1	points = 4	
If the ratio is ¼-< ½	points = 2	
If the ratio is < ¼	points = 1	
R 4.2. Characteristics of plants that slow down water velocities during floods: Tree shrub. Choose the points appropriate for the best description (polygons ne height. These are NOT Cowardin classes).		
Forest or shrub for more than $^{2}/_{3}$ the area of the wetland	points = 6	
Forest or shrub for $>^{1}/_{3}$ area OR emergent plants $>^{2}/_{3}$ area	points = 4	
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area	points = 2	
Plants do not meet above criteria	points = 0	
Total for R 5 A	dd the points in the boxes above	
Rating of Site Potential         If score is:         12-16 = H         6-11 = M         0-5 = L	Record the rating or	the first page
R 5.0. Does the landscape have the potential to support the hydrologic fu	nctions of the site?	

R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
R 5.1. Is the stream or river adjacent to the wetland downcut?	Yes = 0 No = 1	
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?	Yes = 1 No = 0	
R 5.3. Is the up-gradient stream or river controlled by dams?	Yes = 0 No = 1	
Total for R 5	Add the points in the boxes above	
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L	Record the rating on the first page	

Rating of Landscape Potential	IT SCORE IS:	_3 = H	1  or  2 = 101	0

Record the rating on the first page

R 6.0. Are the hydrologic functions provided by the site valuable to	society?
R 6.1. Distance to the nearest areas downstream that have flooding probl the site.	ems? Choose the description that best fits
The sub-basin immediately down-gradient of site has surface flood	ling problems that result in damage to
human or natural resources	points = 2
Surface flooding problems are in a basin farther down-gradient points = 1	
No flooding problems anywhere downstream points = 0	
R 6.2. Has the site been identified as important for flood storage or flood	conveyance in a regional flood control
plan?	Yes = 2 No = 0
Total for R 6	Add the points in the boxes above
ating of Value If score is: $2-4 = H$ $1 = M$ $0 = I$	Record the rating on the first page

Rating of Value If score is: 2-4 = H 1 = M 0 = L

LAKE FRINGE WETLANDS Water Quality Functions - Indicators that the site functions to improve wa	iter quality.	Points (only 1 score per box)
L 1.0. Does the site have the potential to improve water quality?		
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):		
Plants are more than 33 ft (10 m) wide	points = 6	
Plants are more than 16 ft (5 m) and < 33 ft (10 m) wide	points = 3	
Plants are more than 6 ft (2 m) and < 16 ft (5 m) wide	points = 1	
Plants are less than 6 ft wide	points = 0	
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that points, and do not include any open water in your estimate of coverage. The herbace the dominant form or as an understory in a shrub or forest community. <i>These are not of cover is total cover in the wetland, but it can be in patches. Herbaceous does not it can be in patches.</i>	eous plants can be either ot Cowardin classes. Area	
Cover of herbaceous plants is $> 90\%$ of the vegetated area	points = 6	
Cover of herbaceous plants is $>^{2}/_{3}$ of the vegetated area	points = 4	
Cover of herbaceous plants is $> \frac{1}{3}$ of the vegetated area	points = 3	
Other plants that are not aquatic bed > $^{2}/_{3}$ wetland	points = 3	
Other plants that are not aquatic bed in > $^{1}/_{3}$ vegetated area	points = 1	
Aquatic bed plants and open water cover > $^{2}/_{3}$ of the wetland	points = 0	
Total for L 1 Add the po	ints in the boxes above	
Rating of Site Potential If score is: 8-12 = H 4-7 = M 0-3 = L	Record the rating on	the first page

L 2.0. Does the landscape have the potential to support the water quality function of	of the site?	
L 2.1. Is the lake used by power boats?	Yes = 1 No = 0	
L 2.2. Is > 10% of the area within 150 ft of wetland on the upland side in land uses that gene	erate pollutants? Yes = 1 No = 0	
L 2.3. Does the lake have problems with algal blooms or excessive plants such as milfoil?	Yes = 1 No = 0	
Total for L 2 Add the point	nts in the boxes above	
Rating of Landscape Potential If score is: 2 or 3 = H 1 = M 0 = L	Record the rating on the first p	bage

L 3.0. Is the water quality improvement provided by the site valuable to socie	ety?
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources?	Yes = 1 No = 0
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic re 303(d) list)?	esource in the basin is on the Yes = 1 No = 0
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which wetland is found. Yes = 2 No = 0	
Total for L 3 Add t	the points in the boxes above
Rating of Value If score is:2-4 = H1 = M0 = L	Record the rating on the first page

LAKE FRINGE WETLANDS Hydrologic Functions - Indicators that the wetland unit functions to reduce sho	oreline erosion	Points (only 1 score per box)
L 4.0. Does the site have the potential to reduce shoreline erosion?		
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> i <i>Choose the highest scoring description that matches conditions in the wetland.</i>	nclude Aquatic Bed):	
> ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 6	
> ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide	points = 4	
> ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 4	
Plants are at least 6 ft (2 m) wide (do not include Aquatic Bed)	points = 2	
Plants are less than 6 ft (2 m) wide (do not include Aquatic Bed)	points = 0	
Rating of Site Potential If score is:6 = M0-5 = L	Record the rating on	the first page

L 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
L 5.1. Is the lake used by power boats with more than 10 hp?	Yes = 1 No = 0	
L 5.2. Is the fetch on the lake side of the wetland at least 1 mile in distance?	Yes = 1 No = 0	
Total for L 5	Add the points in the boxes above	
Rating of Landscape Potential       If score is:       2 = H       1 = M       0 = L       Record the rating on the score is:		ne first page

L 6.0. Are the hydrologic functions provided by the site valuable to society?	
L 6.1. Are there resources, both human and natural, along the shore that can be impacted by e If more than one resource is present, choose the one with the highest score. There are human structures or old growth/mature forests within 25 ft of OHWM of the wetland	
	points = 2
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1
Other resources that could be impacted by erosion	points = 1
There are no resources that can be impacted by erosion along the shores of the wetland	d points = 0
Rating of Value If score is: 2 = H 1 = M 0 = L	Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland name or number\_WT501\_

SLOPE WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of average slope of wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft horizontal distance)         Slope is 1% or less       points =         Slope is > 1% - 2%       points =         Slope is > 2% - 5%       points =	3 2
Slope is greater than 5% points =	
S 1.2. <u>The soil 2 in below the surface (or duff layer)</u> is true clay or tureorganic (use NRCS definitions): Yes = 3 No = 0	
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	
Choose the points appropriate for the description that best fits the plants in the wetland. <i>Dense means yo</i> have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	u
Dense, uncut, herbaceous plants > 90% of the wetland areapoints =Dense, uncut, herbaceous plants > ½ of areapoints =Dense, woody, plants > ½ of areapoints =Dense, uncut, herbaceous plants > ¼ of areapoints =Dense, uncut, herbaceous plants > ¼ of areapoints =Does not meet any of the criteria above for plantspoints =	3 2 1
Total for S 1 Add the points in the boxes above	
Rating of Site Potential If score is: 12 = H 6-11 = M 0-5 = L Record the rating	

S 2.0. Does the landscape have the potential to support the water quality function at the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?	
Yes = 1 No = 0	
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	
Other sources Yes = 1 No = 0	
Total for S 2Add the points in the boxes above	

Rating of Landscape Potential If score is: 1-2 = M 0 = L

Record the rating on the first page

S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly to a stream, river, or lake that is on the 303(d) list (within 1 mi)?	
Yes = 1 No = 0	
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the	
<i>basin is on the 303(d) list.</i> Yes = 1 No = 0	
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer	
YES if there is a TMDL for the drainage or basin in which wetland is found)? Yes = 2 No = 0	
Total for S 3Add the points in the boxes above	

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

SLOPE WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion						
S 4.0. Does the site have the potential to reduce flooding and erosion?						
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: appropriate for the description that best fits conditions in the wetland. Stems of enough (usually $> \frac{1}{8}$ in), or dense enough, to remain erect during surface flows.	-					
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland	points = 1					
All other conditions	points = 0					

Rating of Site Potential If score is: 1 = M 0 = L

Record the rating on the first page

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses that generate excess surface
runoff? Yes = 1 No = 0

**Rating of Landscape Potential** If score is: \_\_\_\_1 = M \_\_\_\_0 = L

Record the rating on the first page

S 6.0. Are the hydrologic functions provided by the site valuable to society?							
S 6.1. Distance to the nearest areas downstream that have flooding problems:							
The sub-basin immediately down-gradient of site has surface flooding problems that result in damage to							
human or natural resources (e.g., houses or salmon redds)points = 2Surface flooding problems are in a sub-basin farther down-gradientpoints = 1							
No flooding problems anywhere downstream points = 0							
S 6.2. Has the site been identified as important for flood storage and flood conveyance in a regional flood control plan?							
Yes = 2 No = 0							
Total for S 6Add the points in the boxes above							
Rating of Value       If score is:       2-4 = H       1 = M       0 = L       Record the rating on the second	he first page						

### NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	(only 1
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	score per box)
H 1.0. Does the wetland have the potential to provide habitat for many species?	
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed X Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover X Emergent plants >12-40 in (>30-100 cm) high are the highest layer with >30% cover Emergent plants > 40 in (> 100 cm) high are the highest layer with >30% cover	1
Scrub-shrub (areas where shrubs have >30% cover)4 or more checks: points = 3Forested (areas where trees have >30% cover)3 checks: points = 22 checks: points = 11 check: points = 0	
H 1.2. Is one of the vegetation types Aquatic Bed? Yes = 1 No = 0	0
<ul> <li>H 1.3. Surface water</li> <li>H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points &amp; go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0</li> </ul>	0
H 1.4. <u>Richness of plant species</u> Count the number of plant species in the wetland that cover at least 10 ft <sup>2</sup> . Different patches of the same species can be combined to meet the size threshold. You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Russian olive, Phragmites, Canadian thistle, yellow-flag iris, and saltcedar (Tamarisk) # of species <u>3</u> Scoring: > 9 species: points = 2 4-9 species: points = 1 < 4 species: points = 0	0
H 1.5. Interspersion of habitats	Figure
Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points All three diagrams in this row are High = 3 points	1

Wetland name or number\_WT501\_

<ul> <li>H 1.6. Special habitat features</li> <li>Check the habitat features that are present in the wetland. TheLoose rocks larger than 4 in OR large, downed, woody debr ponding or in stream.</li> <li>Cattails or bulrushes are present within the wetland.</li> <li>Cattails or bulrushes are present within the wetland.</li> <li>Standing snags (diameter at the bottom &gt; 4 in) in the wetla</li> <li>Emergent or shrub vegetation in areas that are permanent</li> <li>Stable steep banks of fine material that might be used by b slope) OR signs of recent beaver activity</li> <li>Invasive species cover less than 20% in each stratum of vegetation</li> </ul>	ris (> 4 in diameter) within the area of surface and or within 30 m (100 ft) of the edge. Iy inundated/ponded. beaver or muskrat for denning (> 45 degree	2
herbaceous, moss/ground cover) Total for H 1	Add the points in the boxes above	4

H 2.0. Does the landscape have the potential to support habitat functions of the site?					
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:					
<i>Calculate:</i> % undisturbed habitat + [(% moderate and low intensity land uses)/2] $50$ =%					
> <sup>1</sup> / <sub>3</sub> (33.3%) of 1 km Polygon points = 3					
20-33% of 1km Polygon points = 2	0				
10-19% of 1km Polygon points = 1					
<10% of 1km Polygon points = 0					
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.					
<i>Calculate:</i> % undisturbed habitat + [(% moderate and low intensity land uses)/2] $50 = 0$ %					
Undisturbed habitat > 50% of Polygon points = 3	0				
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2					
Undisturbed habitat 10 - 50% and > 3 patches points = 1					
Undisturbed habitat < 10% of Polygon points = 0					
H 2.3. Land use intensity in 1 km Polygon:					
> 50% of Polygon is high intensity land use points = (- 2)	0				
Does not meet criterion above points = 0					
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by					
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of					
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0					
Total for H 2 Add the points in the boxes above	0				

<u>Rating of Landscape Potential</u> If score is: <u>4-9 = H</u> <u>1-3 = M</u> <u>X</u> < 1 = L Record the rating on the first page

3.1. Does the site provide habitat for species valued in laws, regulations, or policie	s? Choose the highest score	
that applies to the wetland being rated		
Site meets ANY of the following criteria:	points = 2	
<ul> <li>It has 3 or more priority habitats within 100 m (see Appendix B)</li> </ul>		
<ul> <li>It provides habitat for Threatened or Endangered species (any plant or an</li> </ul>	imal on state or federal lists)	
<ul> <li>It is mapped as a location for an individual WDFW species</li> </ul>		
<ul> <li>It is a Wetland of High Conservation Value as determined by the Departm</li> </ul>	ent of Natural Resources	0
<ul> <li>It has been categorized as an important habitat site in a local or regional of</li> </ul>	comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan		
Site has 1 or 2 priority habitats within 100 m (see Appendix B)	points = 1	
Site does not meet any of the criteria above	points = 0	

**<u>Rating of Value</u>** If score is: 2 = H 1 = M X = C Record the rating on the first page

Wetland name or number\_WT501\_

### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland <b>less than 4000 ft<sup>2</sup></b> , and does it meet at least <b>two</b> of the following criteria?	
<ul> <li>Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater input.</li> </ul>	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as	
basalt or clay.	
— Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. II Cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet <b>one</b> of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
— If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of salt.	
<b>OR</b> does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
<ul> <li>— A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands.</li> <li>Yes = Category I No= Not an alkali wetland</li> </ul>	Cat. I
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value? Yes = <b>Category I</b> No = <b>Not a WHCV</b>	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and it is listed	

SC 4.0 Bogs and Calcareous Fens						
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in	bogs or					
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. <b>If you answe</b>	er yes					
you will still need to rate the wetland based on its functions.						
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats c	or					
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key						
<i>identify organic soils</i> . Yes – Go to <b>SC 4.3</b> No – Go to						
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in de	ep over					
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake						
pond? Yes – Go to SC 4.3 No = Is not a bog for						
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 3	•					
the total plant cover consists of species in Table 5? Yes = <b>Category I bog</b> No – Go to						
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion						
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0						
and the plant species in Table 5 are present, the wetland is a bog.	13.0					
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western						
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the						
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?	Cat. I					
Yes = <b>Category I bog</b> No – Go to	SC A E					
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats						
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to						
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and						
	mucks,					
AND one of the two following conditions is met:	<b>C</b> -+ 1					
— Marl deposits [calcium carbonate (CaCO <sub>3</sub> ) precipitate] occur on the soil surface or plant stems	Cat. I					
— The pH of free water is $\geq$ 6.8 AND electrical conductivity is $\geq$ 200 uS/cm at multiple locations with						
wetland Yes = Is a Category I calcareous fen No = Is not a calcareo	us ten					

<ul> <li>SC 5.0. Forested Wetlands Does the wetland have an area of forest rooted within its boundary that meets at least one of the following three criteria? (<i>Continue only if you have identified that a forested class is present in question H 1.1</i>) — The wetland is within the 100 year floodplain of a river or stream — Aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover of woody species — There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or "old-growth" according to the definitions for these priority habitats developed by WDFW (see definitions in question H3.1) Yes – Go to SC 5.1 No = Not a forested wetland with special characteristics</li></ul>	
<ul> <li>SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow growing native trees (<i>see Table 7</i>)?</li> <li>SC 5.2. Does the wetland have areas where aspen (<i>Populus tremuloides</i>) represents at least 20% of the total cover</li> </ul>	Cat. I
of woody species? Yes = <b>Category I</b> No – Go to <b>SC 5.3</b> SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by	Cat. I
cover) are fast growing species ( <i>see Table 7</i> )? Yes = <b>Category II</b> No – Go to <b>SC 5.4</b>	Cat. II
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream? Yes = Category II No = Not a forested wetland with special characteristics	
<b>Category of wetland based on Special Characteristics</b> <i>Choose the highest rating if wetland falls into several categories</i> If you answered No for all types, enter "Not Applicable" on Summary Form	N/A

# **Appendix B: WDFW Priority Habitats in Eastern Washington**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <u>http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</u> or access the list from here: <u>http://wdfw.wa.gov/conservation/phs/list/</u>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland: *NOTE: This question is independent of the land use between the wetland and the priority habitat.* 

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Old-growth/Mature forests: <u>Old-growth east of Cascade crest</u> Stands are highly variable in tree species composition and structural characteristics due to the influence of fire, climate, and soils. In general, stands will be >150 years of age, with 10 trees/ac (25 trees/ha) that are > 21 in (53 cm) dbh, and 1-3 snags/ac (2.5-7.5 snags/ha) that are > 12-14 in (30-35 cm) diameter. Downed logs may vary from abundant to absent. Canopies may be single or multi-layered. Evidence of human-caused alterations to the stand will be absent or so slight as to not affect the ecosystem's essential structures and functions. <u>Mature forests</u> Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west and 80-160 years old east of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or
  other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 12 in (30 cm)in eastern Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- **Shrub-steppe:** A nonforested vegetation type consisting of one or more layers of perennial bunchgrasses and a conspicuous but discontinuous layer of shrubs (see Eastside Steppe for sites with little or no shrub cover).
- Eastside Steppe: Nonforested vegetation type dominated by broadleaf herbaceous flora (i.e., forbs), perennial bunchgrasses, or a combination of both. Bluebunch wheatgrass (*Pseudoroegneria spicata*) is often the prevailing cover component along with Idaho fescue (*Festuca idahoensis*), Sandberg bluegrass (*Poa secunda*), rough fescue (*F. campestris*), or needlegrasses (*Achnatherum* spp.).
- Juniper Savannah: All juniper woodlands.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland Rating System for Eastern WA: 2014 Update Effective January 1, 2015 Appendix B

### **RATING SUMMARY – Eastern Washington**

Name of wetland (or ID #): _	WT502	Date of site visit: _	10/5/21
Rated by Jess Taylor and Kat	tie Pyne Trained by Eco	ology? Yes <u>_x</u> No Date of tra	ining
HGM Class used for rating De	pressional We	tland has multiple HGM classes	? <u>Y_</u> N

**NOTE:** Form is not complete without the figures requested (*figures can be combined*). Source of base aerial photo/map <u>USDA NAIP 2018</u>

**OVERALL WETLAND CATEGORY** <u>IV</u> (based on functions <u>x</u> or special characteristics\_\_\_)

### 1. Category of wetland based on FUNCTIONS

Category I – Total score = 22-27

Category II – Total score = 19-21

\_\_\_\_\_Category III – Total score = 16-18

\_\_\_\_\_X \_\_\_Category IV – Total score = 9-15

FUNCTION	Improving Water Quality			Hydrologic			ł	Habit				
			Ci	rcle	the c	ipprop	oriat	e ra	itings			
Site Potential	Н	Μ	(L	$\mathbf{)}$	Н	Μ	<u>(</u>	)	Н	М	( )	
Landscape Potential	Н	Μ	C	5	Н	M	) L		Н	Μ		
Value	Н	Μ	6	]	н	Μ	(	)	Н	Μ	Ū	TOTAL
Score Based on Ratings		3				4				3		10

Score for each function based on three ratings (order of ratings is not *important*) 9 = H, H, H8 = H, H, M7 = H, H, L7 = H,M,M6 = H, M, L6 = M,M,M5 = H,L,L5 = M, M, L4 = M, L, L3 = L, L, L

### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	<b>CATEGORY</b> Circle the appropriate category
	Circle the appropriate category
Vernal Pools	II III
Alkali	Ι
Wetland of High Conservation Value	Ι
Bog and Calcareous Fens	Ι
Old Growth or Mature Forest – slow growing	I
Aspen Forest	Ι
Old Growth or Mature Forest – fast growing	II
Floodplain forest	II
None of the above	Х

### Maps and figures required to answer questions correctly for Eastern Washington Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	D 1.3, H 1.1, H 1.5	N/A
Hydroperiods (including area of open water for H 1.3)	D 1.4, H 1.2, H 1.3	N/A
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	N/A
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	5
Map of the contributing basin	D 5.3	1
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	5
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	Attached
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	D 3.3	Attached

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	Н 1.1, Н 1.5	
Hydroperiods	Н 1.2, Н 1.3	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of wetland vs. width of stream (can be added to another figure)	R 4.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	L 1.1, L 4.1, H 1.1, H 1.5	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes and classes of emergents	H 1.1, H 1.5	
Hydroperiods	H 1.2, H 1.3	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of area within 150 ft of the wetland (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which wetland is found (website)	S 3.3	


# HGM Classification of Wetland in Eastern Washington

For questions 1-4, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-4 apply, and go to Question 5.

1. Does the entire unit **meet both** of the following criteria?

The vegetated part of the wetland is on the water side of the Ordinary High Water Mark of a body of permanent open water (without any plants on the surface) that is at least 20 ac (8 ha) in size At least 30% of the open water area is deeper than 10 ft (3 m)



**YES –** The wetland class is **Lake Fringe** (Lacustrine Fringe)

- 2. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_The wetland is on a slope (*slope can be very gradual*),
  - The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks;
  - \_\_\_\_The water leaves the wetland **without being impounded**.

NO go to 3

YES – The wetland class is **Slope** 

**NOTE:** Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 foot deep).

- 3. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_ The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river;
    - \_\_\_\_ The overbank flooding occurs at least once every 10 years.




YES – The wetland class is **Riverine** 

**NOTE:** The Riverine wetland can contain depressions that are filled with water when the river is not flooding.

4. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 5



5. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-4 APPLY TO DIFFERENT AREAS IN THE WETLAND UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

Wetland Rating System for Eastern WA: 2014 Update Rating Form – Effective January 1, 2015 Wetland name or number\_WT502\_

**NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the wetland unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM Class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine (the riverine portion is within	Doprossional
the boundary of depression)	Depressional
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland: Wetland has no surface water outlet points = 5 Wetland has an intermittently flowing outlet points = 3 Wetland has a highly constricted permanently flowing outlet points = 3 Wetland has a permanently flowing, unconstricted, surface outlet points = 1	3
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions of soils) YES = 3 NO = 0	0
D 1.3. <u>Characteristics of persistent vegetation</u> (Emergent, Scrub-shrub, and/or Forested Cowardin classes) Wetland has persistent, ungrazed, vegetation for $>^2/_3$ of area Wetland has persistent, ungrazed, vegetation from $^1/_3$ to $^2/_3$ of area Wetland has persistent, ungrazed vegetation from $^1/_{10}$ to $<^1/_3$ of area Wetland has persistent, ungrazed vegetation $<^1/_{10}$ of area Points = 0 D 1.4. Characteristics of persistent is a set of the set of	1
D 1.4. Characteristics of seasonal ponding or inundation:This is the area of ponding that fluctuates every year. Do not count the area that is permanently ponded.Area seasonally ponded is > ½ total area of wetlandArea seasonally ponded is ¼ - ½ total area of wetlandPoints = 1Area seasonally ponded is < ¼ total area of wetland	1
Total for D 1Add the points in the boxes above	5

D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	Yes = 1 No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	Yes = 1 No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in question D 2.1- D 2.3? Source	ns Yes = 1 No = 0	0
Total for D 2Add the points	in the boxes above	0

**Rating of Landscape Potential** If score is: \_\_\_\_3 or 4 = H \_\_\_\_1 or 2 = M  $_X_0$  = L Record the rating on the first page

D 3.0. Is the water quality improvement provided by the site valuable to so	ociety?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, or	lake that is on the 303(d) list?	0
	Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where water quality is an issue in som eutrophic lakes, problems with nuisance and toxic algae]?	ne aquatic resource [303(d) list, Yes = 1 No = 0	0
D 3.3. Has the site been identified in a watershed or local plan as important for mail if there is a TMDL for the drainage or basin in which the wetland is found)?	aintaining water quality ( <i>answer YES</i> Yes = 2 No = 0	0
Total for D 3	Add the points in the boxes above	0
Poting of Value of score is: $24 - H$ $1 - M \times 0 - I$	Pacord the rating on the	no first nage

*Record the rating on the first page* 

DEPRESSIONAL WETLANDS Hydrologic Functions - Indicators that the site functions to reduce flooding and erosion.	Points (only 1 score per box)
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. <u>Characteristics of surface water outflows from the wetland</u> : Wetland has no surface water outlet points =	8
Wetland has an intermittently flowing outlet points =	
Wetland has a highly constricted permanently flowing outletpoints =Wetland has a permanently flowing unconstricted surface outletpoints =(If outlet is a ditch and not permanently flowing treat wetland as "intermittently flowing")points =	4
<ul> <li>D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or deepest part (if dry).</li> <li>Seasonal ponding: &gt; 3 ft above the lowest point in wetland or the surface of permanent ponding points = Seasonal ponding: 2 ft - &lt; 3 ft above the lowest point in wetland or the surface of permanent pondingpoints = The wetland is a headwater wetland</li> <li>Seasonal ponding: 1 ft - &lt; 2 ft points = Seasonal ponding: 6 in - &lt; 1 ft points = Seasonal ponding: &lt; 6 in or wetland has only saturated soils</li> </ul>	6 4 4 2
Total for D 4Add the points in the boxes above	e 4
Rating of Site PotentialIf score is:12-16 = H6-11 = MX0-5 = LRecord the rating on	-

D 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges?	Yes = 1 No = 0	0
D 5.2. Is > 10% of the area within 150 ft of the wetland in a land use that genera	tes runoff? Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses? Yes = 1 No = 0		1
Total for D 5	Add the points in the boxes above	1
Rating of Landscape Potential If score is: 3 = H1 or 2 = M0 = L	Record the rating on th	ne first page

D 6.0. Are the hydrologic functions provided by the site valuable to society?	
<ul> <li>D 6.1. <u>The wetland is in a landscape that has flooding problems</u>.</li> <li>Choose the description that best matches conditions around the wetland being rated. <i>Do not add points</i>.</li> <li><i>Choose the highest score if more than one condition is met</i>.</li> <li>The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds), AND</li> </ul>	
Flooding occurs in sub-basin that is immediately down-gradient of wetlandpoints = 2Surface flooding problems are in a sub-basin farther down-gradientpoints = 1	0
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood.	
Explain why points = 0	
There are no problems with flooding downstream of the wetland points = 0	
D 6.2. Has the site has been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for D 6Add the points in the boxes above	0

#### Rating of Value If score is: 2-4 = H \_\_\_1 = M \_\_\_0 = L

<b><u>RIVERINE WETLANDS</u></b> Water Quality Functions - Indicators that the site functions to improve	water quality	Points (only 1 score per box)
R 1.0. Does the site have the potential to improve water quality?		
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments	during a flooding event:	
Depressions cover $>^{1}/_{3}$ area of wetland	points = 6	
Depressions cover $> 1/10$ area of wetland	points = 3	
Depressions present but cover $< \frac{1}{10}$ area of wetland	points = 1	
No depressions present	points = 0	
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height; <b>not</b> Cowardin classes):		
Forest or shrub $> \frac{2}{3}$ the area of the wetland	points = 10	
Forest or shrub $\frac{1}{3} - \frac{2}{3}$ area of the wetland	points = 5	
Ungrazed, herbaceous plants $> ^{2}/_{3}$ area of wetland	points = 5	
Ungrazed herbaceous plants $\frac{1}{3} - \frac{2}{3}$ area of wetland	points = 2	
Forest, shrub, and ungrazed herbaceous $< 1/3$ area of wetland	points = 0	
Total for R 1 Add the	e points in the boxes above	

Rating of Site PotentialIf score is:12-16 = H6-11 = M0-5 = L

Record the rating on the first page

R 2.0. Does the landscape have the potential to support the water quality function of the site?	
R 2.1. Is the wetland within an incorporated city or within its UGA?	Yes = 2 No = 0
R 2.2. Does the contributing basin include a UGA or incorporated area?	Yes = 1 No = 0
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years? Yes = 1 No = 0	
R 2.4. Is > 10% of the area within 150 ft of wetland in land uses that generate pollutants	Yes = 1 No = 0
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions	
R 2.1-R 2.4? Source	Yes = 1 No = 0
Total for R 2Add the point	ts in the boxes above
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L	Record the rating on the first pa

R 3.0. Is the water quality improvement provided by the site valuable to society?	2
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	
	Yes = 1 No = 0
R 3.2. Does the river or stream have TMDL limits for nutrients, toxics, or pathogens?	Yes = 1 No = 0
R 3.3. Has the site been identified in a watershed or local plan as important for maintain YES if there is a TMDL for the drainage in which wetland is found.	ing water quality? Answer Yes = 2 No = 0
Total for R 3     Add the particular	points in the boxes above

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

Record the rating on the first page

RIVERINE WETLANDS		Points
Hydrologic Functions - Indicators that site functions to reduce flo	ooding and stream erosion	(only 1 score per box)
R 4.0. Does the site have the potential to reduce flooding and erosion?		
R 4.1. Characteristics of the overbank storage the wetland provides:		
Estimate the average width of the wetland perpendicular to the direction stream or river channel (distance between banks). Calculate the ratio: (avwidth of stream between banks).		
If the ratio is more than 2	points = 10	
If the ratio is 1-2	points = 8	
If the ratio is 1/2-<1	points = 4	
If the ratio is ¼-< ½	points = 2	
If the ratio is < ¼	points = 1	
R 4.2. Characteristics of plants that slow down water velocities during floods: The shrub. Choose the points appropriate for the best description (polygons in height. These are NOT Cowardin classes).		
Forest or shrub for more than $^{2}/_{3}$ the area of the wetland	points = 6	
Forest or shrub for $>^{1}/_{3}$ area OR emergent plants $>^{2}/_{3}$ area	points = 4	
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area	points = 2	
Plants do not meet above criteria	points = 0	
Total for R 5	Add the points in the boxes above	
Rating of Site Potential         If score is:         12-16 = H         6-11 = M         0-5 = L	Record the rating on	the first page
R 5.0. Does the landscape have the potential to support the hydrologic f	unctions of the site?	
R 5.1. Is the stream or river adjacent to the wetland downcut?	Yes = 0 No = 1	

	163 - 0 110 - 1
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?	Yes = 1 No = 0
R 5.3. Is the up-gradient stream or river controlled by dams?	Yes = 0 No = 1
Total for R 5	Add the points in the boxes above

Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L

Record the rating on the first page

R 6.0. Are the hydrologic functions provided by the site valuable to socie	ety?
R 6.1. Distance to the nearest areas downstream that have flooding problems? <i>the site.</i>	
The sub-basin immediately down-gradient of site has surface flooding pr human or natural resources Surface flooding problems are in a basin farther down-gradient No flooding problems anywhere downstream	points = 2 points = 1 points = 0
R 6.2. Has the site been identified as important for flood storage or flood conve plan?	eyance in a regional flood control Yes = 2 No = 0
Total for R 6	Add the points in the boxes above
Rating of Value If score is: 2-4 = H 1 = M 0 = L	Record the rating on the first page

LAKE FRINGE WETLANDS Water Quality Functions - Indicators that the site functions to improve wa	iter quality.	Points (only 1 score per box)
L 1.0. Does the site have the potential to improve water quality?		
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):		
Plants are more than 33 ft (10 m) wide	points = 6	
Plants are more than 16 ft (5 m) and < 33 ft (10 m) wide	points = 3	
Plants are more than 6 ft (2 m) and < 16 ft (5 m) wide	points = 1	
Plants are less than 6 ft wide	points = 0	
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that points, and do not include any open water in your estimate of coverage. The herbace the dominant form or as an understory in a shrub or forest community. <i>These are not of cover is total cover in the wetland, but it can be in patches. Herbaceous does not it can be in patches.</i>	eous plants can be either ot Cowardin classes. Area	
Cover of herbaceous plants is $> 90\%$ of the vegetated area	points = 6	
Cover of herbaceous plants is $>^{2}/_{3}$ of the vegetated area	points = 4	
Cover of herbaceous plants is $> \frac{1}{3}$ of the vegetated area	points = 3	
Other plants that are not aquatic bed > $^{2}/_{3}$ wetland	points = 3	
Other plants that are not aquatic bed in > $^{1}/_{3}$ vegetated area	points = 1	
Aquatic bed plants and open water cover > $^{2}/_{3}$ of the wetland	points = 0	
Total for L 1 Add the po	ints in the boxes above	
Rating of Site Potential If score is: 8-12 = H 4-7 = M 0-3 = L	Record the rating on	the first page

L 2.0. Does the landscape have the potential to support the water quality function of the site?	
L 2.1. Is the lake used by power boats?	Yes = 1 No = 0
L 2.2. Is > 10% of the area within 150 ft of wetland on the upland side in land uses that gen	erate pollutants? Yes = 1 No = 0
L 2.3. Does the lake have problems with algal blooms or excessive plants such as milfoil?	Yes = 1 No = 0
Total for L 2   Add the point	ints in the boxes above
Rating of Landscape Potential If score is: 2 or 3 = H 1 = M 0 = L	Record the rating on the first page

L 3.0. Is the water quality improvement provided by the site valuable to socie	ety?
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources?	Yes = 1 No = 0
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic re 303(d) list)?	esource in the basin is on the Yes = 1 No = 0
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which wetland is found. Yes = 2 No = 0	
Total for L 3 Add t	the points in the boxes above
Rating of Value         If score is:         2-4 = H         1 = M         0 = L	Record the rating on the first page

LAKE FRINGE WETLANDS Hydrologic Functions - Indicators that the wetland unit functions to reduce sho	oreline erosion	Points (only 1 score per box)
L 4.0. Does the site have the potential to reduce shoreline erosion?		
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> in <i>Choose the highest scoring description that matches conditions in the wetland.</i> > ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide > ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide > ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide Plants are at least 6 ft (2 m) wide (do not include Aquatic Bed) Plants are less than 6 ft (2 m) wide (do not include Aquatic Bed)	nclude Aquatic Bed): points = 6 points = 4 points = 4 points = 2 points = 0	
Rating of Site Potential If score is:6 = M0-5 = L	Record the rating on	the first page

L 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
L 5.1. Is the lake used by power boats with more than 10 hp?	Yes = 1 No = 0	
L 5.2. Is the fetch on the lake side of the wetland at least 1 mile in distance?	Yes = 1 No = 0	
Total for L 5	Add the points in the boxes above	
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L	Record the rating on the	first page

L 6.0. Are the hydrologic functions provided by the site valuable to society?	
L 6.1. Are there resources, both human and natural, along the shore that can be impacted by e	erosion?
If more than one resource is present, choose the one with the highest score.	
There are human structures or old growth/mature forests within 25 ft of OHWM of the wetland	shore in the
	points = 2
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1
Other resources that could be impacted by erosion	points = 1
There are no resources that can be impacted by erosion along the shores of the wetland	d points = 0
Rating of Value If score is: 2 = H 1 = M 0 = L	Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

Wetland name or number\_WT502\_

SLOPE WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	Points (only 1 score per box)
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of average slope of wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft horizontal distance)	of
Slope is 1% or less points =	3
Slope is > 1% - 2% points =	2
Slope is > 2% - 5% points =	1
Slope is greater than 5% points =	0
S 1.2. <u>The soil 2 in below the surface (or duff layer)</u> is true clay or tureorganic (use NRCS definitions): Yes = 3 No	= 0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you	
have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points =	6
Dense, uncut, herbaceous plants > ½ of area points =	3
Dense, woody, plants > ½ of area points =	2
Dense, uncut, herbaceous plants > ¼ of area points =	1
Does not meet any of the criteria above for plants points =	0
Total for S 1 Add the points in the boxes above	/e
Rating of Site Potential If score is: 12 = H6-11 = M0-5 = L Record the rating	on the first page

S 2.0. Does the landscape have the potential to support the water quality function at the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?	
Yes = 1 No = 0	
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	
Other sources Yes = 1 No = 0	
Total for S 2Add the points in the boxes above	

Rating of Landscape Potential If score is: 1-2 = M 0 = L

Record the rating on the first page

S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly to a stream, river, or lake that is on the 303(d) list (within 1 mi)?	
Yes = 1 No	o = 0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the	
basin is on the 303(d) list. Yes = 1 Ne	o = 0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer	
YES if there is a TMDL for the drainage or basin in which wetland is found)? Yes = 2 No.	o = 0
Total for S 3Add the points in the boxes al	bove

 Rating of Value
 If score is:
 2-4 = H
 1 = M
 0 = L

Record the rating on the first page

Stope wertands Hydrologic Functions - Indicators that the site functions to reduce floodi S 4.0. Does the site have the potential to reduce flooding and erosion?	ng and erosion (d	oints only 1 core per lox)
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Cl appropriate for the description that best fits conditions in the wetland. Stems of p enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.		
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland All other conditions	points = 1 points = 0	

Rating of Site Potential If score is: 1 = M 0 = L

Record the rating on the first page

S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses that generate excess surface	
runoff? Yes = 1 No = 0	1

Rating of Landscape Potential If score is: 1 = M 0 = L

Record the rating on the first page

S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:		
The sub-basin immediately down-gradient of site has surface flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds)points = 2Surface flooding problems are in a sub-basin farther down-gradientpoints = 1No flooding problems anywhere downstreampoints = 0		
S 6.2. Has the site been identified as important for flood storage and flood conveyance in a regional flood control		
plan? Yes = 2 No = 0		
Total for S 6Add the points in the boxes above		
Rating of Value       If score is:       2-4 = H       1 = M       0 = L       Record the rating on the second	he first page	

#### NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	(only 1
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	score per box)
H 1.0. Does the wetland have the potential to provide habitat for many species?	
H 1.1. Structure of the plant community: Check the Cowardin vegetation classes present and categories of emergent plants. Size threshold for each category is >= ¼ ac or >= 10% of the wetland if wetland is < 2.5 ac. Aquatic bed Emergent plants 0-12 in (0-30 cm) high are the highest layer and have > 30% cover	
	1
H 1.2. Is one of the vegetation types Aquatic Bed?Yes = 1No = 0	0
<ul> <li>H 1.3. Surface water</li> <li>H 1.3.1. Does the wetland have areas of open water (without emergent or shrub plants) over at least ¼ ac OR 10% of its area during the March to early June OR in August to the end of September? Answer YES for Lake Fringe wetlands. Yes = 3 points &amp; go to H 1.4 No = go to H 1.3.2 H 1.3.2. Does the wetland have an intermittent or permanent, and unvegetated stream within its boundaries, or along one side, over at least ¼ ac or 10% of its area? Answer yes only if H 1.3.1 is No. Yes = 3 No = 0</li> </ul>	0
<ul> <li>1.4. <u>Richness of plant species</u> <ul> <li>Count the number of plant species in the wetland that cover at least 10 ft<sup>2</sup>. Different patches of the same species can be combined to meet the size threshold. You do not have to name the species.             <ul></ul></li></ul></li></ul>	0
H 1.5. Interspersion of habitats	Figure_
Decide from the diagrams below whether interspersion among types of plant structures (described in H 1.1), and unvegetated areas (open water or mudflats) is high, moderate, low, or none. Use map of Cowardin and emergent plant classes prepared for questions H 1.1 and map of open water from H 1.3. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points All three diagrams in this row are High = 3 points	1

Wetland name or number\_WT502\_

<ul> <li>H 1.6. Special habitat features</li> <li>Check the habitat features that are present in the wetland. The number of checks is the number of poin</li> <li>Loose rocks larger than 4 in OR large, downed, woody debris (&gt; 4 in diameter) within the area of suponding or in stream.</li> <li>X Cattails or bulrushes are present within the wetland.</li> <li>Standing snags (diameter at the bottom &gt; 4 in) in the wetland or within 30 m (100 ft) of the edge.</li> <li>X Emergent or shrub vegetation in areas that are permanently inundated/ponded.</li> <li>Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt; 45 deg slope) OR signs of recent beaver activity</li> </ul>	urface 2
slope) OR signs of recent beaver activity Invasive species cover less than 20% in each stratum of vegetation (canopy, sub-canopy, shrubs, herbaceous, moss/ground cover)	
Total for H 1Add the points in the boxes at	pove 4
<b>tating of Site Potential</b> If score is:15-18 = H7-14 = MX0-6 = L Record the rating on the first $\mu$	page

H 2.0. Does the landscape have the potential to support habitat functions of the site?	
H 2.1. Accessible habitat (only area of habitat abutting wetland). If total accessible habitat is:	
<i>Calculate:</i> % undisturbed habitat + [(% moderate and low intensity land uses)/2] $50$ =%	
> <sup>1</sup> / <sub>3</sub> (33.3%) of 1 km Polygon points = 3	
20-33% of 1km Polygon points = 2	0
10-19% of 1km Polygon points = 1	
<10% of 1km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around wetland.	
<i>Calculate:</i> % undisturbed habitat + [(% moderate and low intensity land uses)/2] $50 = 0$ %	
Undisturbed habitat > 50% of Polygon points = 3	0
Undisturbed habitat 10 - 50% and in 1-3 patches points = 2	0
Undisturbed habitat 10 - 50% and > 3 patches points = 1	
Undisturbed habitat < 10% of Polygon points = 0	
H 2.3. Land use intensity in 1 km Polygon:	
> 50% of Polygon is high intensity land use points = (- 2)	0
Does not meet criterion above points = 0	
H 2.4. The wetland is in an area where annual rainfall is less than 12 in, and its water regime is not influenced by	
irrigation practices, dams, or water control structures. Generally, this means outside boundaries of	
reclamation areas, irrigation districts, or reservoirs Yes = 3 No = 0	
Total for H 2 Add the points in the boxes above	0

<u>Rating of Landscape Potential</u> If score is: <u>4-9 = H</u> <u>1-3 = M</u> <u>X</u> < 1 = L Record the rating on the first page

3.1. Does the site provide habitat for species valued in laws, regulations, or policie	s? Choose the highest score	
that applies to the wetland being rated		
Site meets ANY of the following criteria:	points = 2	
<ul> <li>It has 3 or more priority habitats within 100 m (see Appendix B)</li> </ul>		
<ul> <li>It provides habitat for Threatened or Endangered species (any plant or an</li> </ul>	imal on state or federal lists)	
<ul> <li>It is mapped as a location for an individual WDFW species</li> </ul>		
<ul> <li>It is a Wetland of High Conservation Value as determined by the Departm</li> </ul>	ent of Natural Resources	0
<ul> <li>It has been categorized as an important habitat site in a local or regional of</li> </ul>	comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan		
Site has 1 or 2 priority habitats within 100 m (see Appendix B)	points = 1	
Site does not meet any of the criteria above	points = 0	

**<u>Rating of Value</u>** If score is: 2 = H 1 = M X = C Record the rating on the first page

Wetland name or number\_WT502\_

### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate category. NOTE: A wetland may meet the criteria for more than one set of special characteristics. Record all those that apply. NOTE: All wetlands should also be characterized based on their functions.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Vernal pools	
Is the wetland less than 4000 ft <sup>2</sup> , and does it meet at least two of the following criteria?	
<ul> <li>Its only source of water is rainfall or snowmelt from a small contributing basin and has no groundwater input.</li> </ul>	
— Wetland plants are typically present only in the spring; the summer vegetation is typically upland	
annuals. If you find perennial, obligate, wetland plants, the wetland is probably NOT a vernal pool.	
— The soil in the wetland is shallow [< 1 ft (30 cm)deep] and is underlain by an impermeable layer such as baselt or slav.	
basalt or clay. — Surface water is present for less than 120 days during the wet season.	
Yes – Go to SC 1.1 No = Not a vernal pool	
SC 1.1. Is the vernal pool relatively undisturbed in February and March?	
Yes – Go to SC 1.2 No = Not a vernal pool with special characteristics	
SC 1.2. Is the vernal pool in an area where there are at least 3 separate aquatic resources within 0.5 mi (other wetlands, rivers, lakes etc.)? Yes = Category II No = Category III	Cat. II Cat. III
SC 2.0. Alkali wetlands	
Does the wetland meet <b>one</b> of the following criteria?	
— The wetland has a conductivity > 3.0 mS/cm.	
— The wetland has a conductivity between 2.0 and 3.0 mS, and more than 50% of the plant cover in the	
wetland can be classified as "alkali" species (see Table 4 for list of plants found in alkali systems).	
<ul> <li>If the wetland is dry at the time of your field visit, the central part of the area is covered with a layer of salt.</li> </ul>	
<b>OR</b> does the wetland unit meet two of the following three sub-criteria?	
— Salt encrustations around more than 75% of the edge of the wetland	
— More than ¾ of the plant cover consists of species listed on Table 4	
<ul> <li>A pH above 9.0. All alkali wetlands have a high pH, but please note that some freshwater wetlands may also have a high pH. Thus, pH alone is not a good indicator of alkali wetlands.</li> <li>Yes = Category I No= Not an alkali wetland</li> </ul>	Cat. I
SC 3.0. Wetlands of High Conservation Value (WHCV)	
SC 3.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High Conservation Value? Yes – Go to SC 3.2 No – Go to SC 3.3	
SC 3.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	Cat. I
SC 3.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 3.4 No = Not a WHCV	
SC 3.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and it is listed	
on their website? Yes = Category I No =Not a WHCV	

SC 4.0 Bogs and Calcareous Fens	
Does the wetland (or any part of the wetland unit) meet both the criteria for soils and vegetation in bogs or	
calcareous fens? Use the key below to identify if the wetland is a bog or calcareous fen. <b>If you answer yes</b>	
you will still need to rate the wetland based on its functions.	
SC 4.1. Does an area within the wetland have organic soil horizons (i.e., layers of organic soil), either peats or	
mucks, that compose 16 in or more of the first 32 in of the soil profile? See Appendix C for a field key to	
identify organic soils. Yes – Go to <b>SC 4.3</b> No – Go to <b>SC 4.2</b>	
SC 4.2. Does an area within the wetland have organic soils, either peats or mucks, that are less than 16 in deep over	
bedrock or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or	
pond? Yes – Go to SC 4.3 No = Is not a bog for rating	
SC 4.3. Does an area within the wetland have more than 70% cover of mosses at ground level AND at least 30% of	
the total plant cover consists of species in Table 5? Yes = Category I bog No – Go to SC 4.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion	
by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0	
and the plant species in Table 5 are present, the wetland is a bog.	
SC 4.4. Is an area with peats or mucks forested (> 30% cover) with subalpine fir, western red cedar, western	
hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species	Cat I
(or combination of species) listed in Table 5 provide more than 30% of the cover under the canopy?	Cat. I
Yes = Category I bog No – Go to SC 4.5	
SC 4.5. Do the species listed in Table 6 comprise at least 20% of the total plant cover within an area of peats and	
mucks? Yes = Is a Calcareous Fen for purpose of rating No – Go to SC 4.6	
SC 4.6. Do the species listed in Table 6 comprise at least 10% of the total plant cover in an area of peats and mucks,	
AND one of the two following conditions is met:	
— Marl deposits [calcium carbonate (CaCO <sub>3</sub> ) precipitate] occur on the soil surface or plant stems	Cat. I
— The pH of free water is $\geq$ 6.8 AND electrical conductivity is $\geq$ 200 uS/cm at multiple locations within the	
wetland Yes = Is a Category I calcareous fen No = Is not a calcareous fen	

SC 5.0. Forested Wetlands	
Does the wetland have an area of forest rooted within its boundary that meets at least one of	
the following three criteria? (Continue only if you have identified that a forested class is present	
in question H 1.1)	
<ul> <li>The wetland is within the 100 year floodplain of a river or stream</li> </ul>	
— Aspen ( <i>Populus tremuloides</i> ) represents at least 20% of the total cover of woody species	
— There is at least ¼ ac of trees (even in wetlands smaller than 2.5 ac) that are "mature" or	
"old-growth" according to the definitions for these priority habitats developed by WDFW	
(see definitions in question H3.1)	
Yes – Go to <b>SC 5.1</b> No = <b>Not a forested wetland with special characteristics</b>	
	Cat
SC 5.1. Does the wetland have a forest canopy where more than 50% of the tree species (by cover) are slow growing native trees (see Table 7)? Yes = Category I No – Go to SC 5.2	Cat. I
SC 5.2. Does the wetland have areas where aspen ( <i>Populus tremuloides</i> ) represents at least 20% of the total cover	
of woody species? Yes = Category I No – Go to SC 5.3	Cat. I
SC 5.3. Does the wetland have at least ¼ acre with a forest canopy where more than 50% of the tree species (by	
cover) are fast growing species ( <i>see Table 7</i> )? Yes = <b>Category II</b> No – Go to <b>SC 5.4</b>	Cat. II
SC 5.4. Is the forested component of the wetland within the 100 year floodplain of a river or stream?	
Yes = Category II No = Not a forested wetland with special characteristics	Cat. II
Category of wetland based on Special Characteristics	
Choose the highest rating if wetland falls into several categories	
If you answered No for all types, enter "Not Applicable" on Summary Form	N/A

# **Appendix B: WDFW Priority Habitats in Eastern Washington**


<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <u>http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</u> or access the list from here: <u>http://wdfw.wa.gov/conservation/phs/list/</u>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland: *NOTE: This question is independent of the land use between the wetland and the priority habitat.* 

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Old-growth/Mature forests: <u>Old-growth east of Cascade crest</u> Stands are highly variable in tree species composition and structural characteristics due to the influence of fire, climate, and soils. In general, stands will be >150 years of age, with 10 trees/ac (25 trees/ha) that are > 21 in (53 cm) dbh, and 1-3 snags/ac (2.5-7.5 snags/ha) that are > 12-14 in (30-35 cm) diameter. Downed logs may vary from abundant to absent. Canopies may be single or multi-layered. Evidence of human-caused alterations to the stand will be absent or so slight as to not affect the ecosystem's essential structures and functions. <u>Mature forests</u> Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west and 80-160 years old east of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or
  other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 12 in (30 cm)in eastern Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- **Shrub-steppe:** A nonforested vegetation type consisting of one or more layers of perennial bunchgrasses and a conspicuous but discontinuous layer of shrubs (see Eastside Steppe for sites with little or no shrub cover).
- Eastside Steppe: Nonforested vegetation type dominated by broadleaf herbaceous flora (i.e., forbs), perennial bunchgrasses, or a combination of both. Bluebunch wheatgrass (*Pseudoroegneria spicata*) is often the prevailing cover component along with Idaho fescue (*Festuca idahoensis*), Sandberg bluegrass (*Poa secunda*), rough fescue (*F. campestris*), or needlegrasses (*Achnatherum* spp.).
- Juniper Savannah: All juniper woodlands.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland Rating System for Eastern WA: 2014 Update Effective January 1, 2015 Appendix B





Ecology homepage > Water & Shorelines > Water improvement > Total Maximum Daily Load process > Directory of projects > Benton County

### Water quality improvement projects

Select the waterbody or pollutant name to find more information about the specific project.

Waterbody Name(s)	Pollutant(s)	Status	Projec
<u>Yakima River</u>	Toxics	Under development	J <u>ane C</u> 509-49 <u>Mark I</u> 509-49
<u>Yakima River, Lower</u>	Turbidity	EPA approved	<u>Jane C</u> 509-45

To request ADA accommodation, call Ecology at 360-407-7668, 711 (relay service), or 877-833-6341 (TTY). More about our accessibility services.

Copyright © Washington State Department of Ecology

#### ect Lead(s)

-454-7860

k Peterschmidt

-454-7843

Creech

-454-7860

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	Precipitation w/in 48 hours (cm) Channel Width (						urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator c interfere with indicators, etc.)	onclusions, description of disturbar	nces or mo	difications tl	nat may
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,
Prolonged Abnormal Rainfall / Snowpack				
Below Average				
Above Average				
Natural or Anthropogenic Disturbance				
Other:				
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach
Ancillary Information:				
🗌 Riparian Corridor				
Erosion and Deposition				
Floodplain Connectivity				
	Observed Amphibians, Snake, an			
	Tava	Life History	Location	Number of Individuals
	Таха	Stage	Observed	Observed

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	Precipitation w/in 48 hours (cm) Channel Width (						urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator c interfere with indicators, etc.)	onclusions, description of disturbar	nces or mo	difications tl	nat may
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,
Prolonged Abnormal Rainfall / Snowpack				
Below Average				
Above Average				
Natural or Anthropogenic Disturbance				
Other:				
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach
Ancillary Information:				
🗌 Riparian Corridor				
Erosion and Deposition				
Floodplain Connectivity				
	Observed Amphibians, Snake, an			
	Tava	Life History	Location	Number of Individuals
	Таха	Stage	Observed	Observed

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	Precipitation w/in 48 hours (cm) Channel Width (						urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator c interfere with indicators, etc.)	onclusions, description of disturbar	nces or mo	difications tl	nat may
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,
Prolonged Abnormal Rainfall / Snowpack				
Below Average				
Above Average				
Natural or Anthropogenic Disturbance				
Other:				
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach
Ancillary Information:				
🗌 Riparian Corridor				
Erosion and Deposition				
Floodplain Connectivity				
	Observed Amphibians, Snake, an			
	Tava	Life History	Location	Number of Individuals
	Таха	Stage	Observed	Observed

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	Precipitation w/in 48 hours (cm) Channel Width (						urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator c interfere with indicators, etc.)	onclusions, description of disturbar	nces or mo	difications tl	nat may
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,
Prolonged Abnormal Rainfall / Snowpack				
Below Average				
Above Average				
Natural or Anthropogenic Disturbance				
Other:				
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach
Ancillary Information:				
🗌 Riparian Corridor				
Erosion and Deposition				
Floodplain Connectivity				
	Observed Amphibians, Snake, an			
	Tava	Life History	Location	Number of Individuals
	Таха	Stage	Observed	Observed

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	Precipitation w/in 48 hours (cm) Channel Width (						urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator c interfere with indicators, etc.)	onclusions, description of disturbar	nces or mo	difications tl	nat may
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,
Prolonged Abnormal Rainfall / Snowpack				
Below Average				
Above Average				
Natural or Anthropogenic Disturbance				
Other:				
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach
Ancillary Information:				
🗌 Riparian Corridor				
Erosion and Deposition				
Floodplain Connectivity				
	Observed Amphibians, Snake, an			
	Tava	Life History	Location	Number of Individuals
	Таха	Stage	Observed	Observed

Project # / Name					Assessor			
Addr	ess						Date	
Wate	erway Na	me	Coordinates at Lat. N					
Read	h Bound	aries			downstream end (ddd.mm.ss) Long. W			
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed surface flow % of reach w/any flow (surface or hyporheic) # of pools observed						
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
Indicators	1. Are aquatic macroinvertebrates present?				Yes No			
	2. Are 6 or more individuals of the Order Ephemeroptera pres				sent? Yes No			
ica	3. Are perennial indicator taxa present? (refer to Table 1)				🗌 Yes 🔄 No			
Ind	4. Are FACW, OBL, or SAV plants present? (Within 1/2 channel widt				h)	🗌 Yes	🗌 No	
	5. What is the slope? (In percent, measured for the valley, not the stream				am)	0	%	
Conclusions	Are aquatic       If Yes: Are 6 or more       If No: What is the slope?       Slope < 16%:         Individuals of the Order       Ephemeroptera       If No: InterMittent       Slope < 16%:         Indicator 1)       If No: Are SAV, FACW, or OBL plants present?       If Yes: What is the slope?       Slope < 10.5%:         Indicator 4)       If No: Are SAV, FACW, or OBL plants present?       If No: Hore SAV, FACW, or OBL plants present?       Slope < 10.5%:         Sizedo Indicators:       Finding:       Ephemeral							
	🗌 Fish	Single Indicators: Fish Amphibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EPHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EPHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EPHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EpHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)								
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,				
Prolonged Abnormal Rainfall / Snowpack								
Below Average								
Above Average								
Natural or Anthropogenic Disturbance								
Other:								
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach				
Ancillary Information:								
🗌 Riparian Corridor								
Erosion and Deposition								
Floodplain Connectivity								
	Observed Amphibians, Snake, an							
	Tava	Life History	Location	Number of Individuals				
	Таха	Stage	Observed	Observed				

Proje	ect # / Na	ame			Assessor				
Addr	ess						Date		
Wate	erway Na	me			Coordinates at Lat. N			Ν	
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W	
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")		
	Observed Hydrology       % of reach w/observed surface flow         0bserved Wetland Plants       % of reach w/any flow (surface or hyp)				-				
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S	
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No		
Indicators	2. Are 6	Are 6 or more individuals of the Order Ephemeroptera pres			esent? Yes No				
ica	3. Are p	erennial indicator taxa pr	a present? (refer to Table 1)		Yes No				
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1/2 channel widt	h)	🗌 Yes	🗌 No		
	5. What	is the slope? (In percent, n	neasured for the val	for the valley, not the stream) %					
Conclusions	Are aquatic         macroinvertebrates         present?         (Indicator 1)         If No: Are SAV, FACW, or OBL plants present?         (Indicator 4)         If No: EPHEMERAL			If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL			
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial		

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)							
Difficult Situation:	Describe situation. For distance.	urbed strea	ams, note ex	tent, type,			
Prolonged Abnormal Rainfall / Snowpack							
Below Average							
Above Average							
Natural or Anthropogenic Disturbance							
Other:							
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach			
Ancillary Information:							
🗌 Riparian Corridor							
Erosion and Deposition							
Floodplain Connectivity							
Observed Amphibians, Snake, and Fish:							
	_	Life History	Location	Number of Individuals			
	Таха	Stage	Observed	Observed			

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1⁄2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)							
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,			
Prolonged Abnormal Rainfall / Snowpack							
Below Average							
Above Average							
Natural or Anthropogenic Disturbance							
Other:							
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach			
Ancillary Information:							
🗌 Riparian Corridor							
Erosion and Deposition							
Floodplain Connectivity							
Observed Amphibians, Snake, and Fish:							
	_	Life History	Location	Number of Individuals			
	Таха	Stage	Observed	Observed			

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1⁄2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)							
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,			
Prolonged Abnormal Rainfall / Snowpack							
Below Average							
Above Average							
Natural or Anthropogenic Disturbance							
Other:							
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach			
Ancillary Information:							
🗌 Riparian Corridor							
Erosion and Deposition							
Floodplain Connectivity							
Observed Amphibians, Snake, and Fish:							
	_	Life History	Location	Number of Individuals			
	Таха	Stage	Observed	Observed			

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1⁄2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)							
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,			
Prolonged Abnormal Rainfall / Snowpack							
Below Average							
Above Average							
Natural or Anthropogenic Disturbance							
Other:							
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach			
Ancillary Information:							
🗌 Riparian Corridor							
Erosion and Deposition							
Floodplain Connectivity							
Observed Amphibians, Snake, and Fish:							
	_	Life History	Location	Number of Individuals			
	Таха	Stage	Observed	Observed			

Proje	ect # / Na	ame			Assessor			
Addr	ess						Date	
Wate	erway Na	me			Coordinates at			Ν
Read	h Bound	aries			downstream er (ddd.mm.ss)	nd Long.		W
Prec	ipitation	w/in 48 hours (cm)	Channe	l Width (m)			urbed Site / Difficu n (Describe in "Notes")	
	erved rology	% of reach w/observed % of reach w/any flow (s # of pools observed	surface or hypor		-			
Observations		ed Wetland Plants dicator status):					Ephemer- # of optera? Individual	S
(0	1. Are a	quatic macroinvertebrate	s present?			🗌 Yes	🗌 No	
Indicators	2. Are 6	or more individuals of th	e Order Epheme	eroptera pres	ent?	🗌 Yes	🗌 No	
ica	3. Are p	erennial indicator taxa pr	esent? (refer to T	able 1)		🗌 Yes	🗌 No	
Ind	4. Are F	ACW, OBL, or SAV plants	present? (Within	1⁄2 channel widt	h)	🗌 Yes	🗌 No	
	5. What	is the slope? (In percent, n	neasured for the val	ley, not the strea	am)	0	%	
Conclusions		Are aquatic macroinvertebrates present? (Indicator 1)	Are 6 or more lals of the Order lemeroptera present? ndicator 2)	If <b>Yes:</b> Are perennial indicator taxa present? (Indicator 3) If <b>No:</b> INTERMITTENT If <b>Yes:</b> What is the slope? (Indicator 5) If <b>No:</b> EPHEMERAL	If No: What is the slope? (Indicator 5)	%: *:	Slope < 16%: INTERMITTENT Slope ≥ 16%: PERENNIAL	
	🗌 Fish	Indicators: hibians			i munig.	In In	termittent erennial	

<b>Notes:</b> (explanation of any single indicator conclusions, description of disturbances or modifications that may interfere with indicators, etc.)							
Difficult Situation:	Describe situation. For distant and history of disturbance.	urbed strea	ams, note ex	tent, type,			
Prolonged Abnormal Rainfall / Snowpack							
Below Average							
Above Average							
Natural or Anthropogenic Disturbance							
Other:							
Additional Notes: (sketch of site, description additional sheets as necessary.	n of photos, comments on hydrolog	ical observ	ations, etc.)	Attach			
Ancillary Information:							
🗌 Riparian Corridor							
Erosion and Deposition							
Floodplain Connectivity							
Observed Amphibians, Snake, and Fish:							
	_	Life History	Location	Number of Individuals			
	Таха	Stage	Observed	Observed			

**Appendix B:** 

Wetlands Photolog



Photopoint 100. No bed or banks on NHD line. XBB100. Facing north.



Photopoint 101. No bed or banks on NHD line. XBB101. Facing north.



Photopoint 104. No bed or banks on NHD line. XBB104. Facing east.



Photopoint 105. No bed or banks on NHD line. XBB105. Facing south.



Photopoint 106. No bed or banks on NHD line. XBB106. Facing north.



Photopoint 107. No bed or banks on NHD line. XBB107. Facing northwest.



Photopoint 108. No bed or banks on NHD line. XBB108. Facing west.



Photopoint 109. No bed or banks on NHD line. XBB109. Facing west.



Photopoint 110. No bed or banks on NHD line. XBB110. Facing east.



Photopoint 111. No bed or banks on NHD line. XBB111. Facing west.



Photopoint 112. No bed or banks on NHD line. XBB112. Facing southeast.



Photopoint 113. No bed or banks on NHD line. XBB113. Facing southwest.



Photopoint 114. No bed or banks on NHD line. XBB114. Facing northeast.



Photopoint 115. No bed or banks on NHD line. XBB115. Facing northeast.



Photopoint 116. No bed or banks on NHD line. XBB116. Facing north.



Photopoint 117. No bed or banks on NHD line. XBB117. Facing north.



Photopoint 118a. Watering troughs show up green on orthoimagery. XBB118a. Facing north.



Photopoint 118b. No bed or banks on NHD line. XBB118b. Facing west.



Photopoint 119. No bed or banks on NHD line. XBB119. Facing southwest.



Photopoint 120. No bed or banks on NHD line. XBB120. Facing south.



Photopoint 121. No bed or banks on NHD line. XBB121. Facing southwest.



Photopoint 122a. No bed or banks on NHD line. XBB122a. Facing southwest.



Photopoint 122b. No bed or banks on NHD line. XBB122b. Facing northwest.



Photopoint 124. No bed or banks on NHD line. XBB124. Facing south.



Photopoint 125. End of ST-211. XBB125. Facing southwest.



Photopoint 127. Cow wallow/erosional feature on NHD line, no bed or banks on either side of erosional feature. XBB127. Facing west.



Photopoint 128a. No bed or banks on NHD line. XBB128a. Facing west.



Photopoint 128b. No bed or banks on NHD line. XBB128b. Facing southwest.



Photopoint 129. No bed or banks on NHD line. XBB129. Facing east.



Photopoint 130. No bed or banks on NHD line. XBB130. Facing southeast.



Photopoint 131. No bed or banks on NHD line. XBB131. Facing northeast.



Photopoint 132. No bed or banks on NHD line. XBB132. Facing north.



Photopoint 133. No bed or banks on NHD line. XBB133. Facing north.



Photopoint 134. No bed or banks on NHD line. XBB134. Facing north.



Photopoint 135. No bed or banks on NHD line. XBB135. Facing north.



Photopoint 136. No bed or banks on NHD line. XBB136. Facing north.



Photopoint 137. No bed or banks on NHD line. XBB137. Facing north.



Photopoint 138a. No bed or banks on NHD line. XBB138a. Facing north.



Photopoint 138b. No bed or banks on NHD line. XBB138b. Facing south.



Photopoint 139. No bed or banks on NHD line. XBB139. Facing north.



Photopoint 140. No bed or banks on NHD line. XBB140. Facing north.



Photopoint 141. No bed or banks on NHD line. XBB141. Facing north.



Photopoint 142. No bed or banks on NHD line. XBB142. Facing north.



Photopoint 143. No bed or banks on NHD line. XBB143. Facing northeast.



Photopoint 144. No bed or banks on NHD line. XBB144. Facing northeast.



Photopoint 145. No bed or banks on NHD line. XBB145. Facing northeast.



Photopoint 146. No bed or banks on NHD line. XBB146. Facing northeast.



Photopoint 147. No bed or banks on NHD line. XBB147. Facing southwest.



Photopoint 148. No bed or banks on NHD line. XBB148. Facing east.



Photopoint 149. No bed or banks on NHD line. XBB149. Facing east.



Photopoint 150. No bed or banks on NHD line. XBB150. Facing east.



Photopoint 151. No bed or banks on NHD line. XBB151. Facing north.



Photopoint 152. No bed or banks on NHD line. XBB152. Facing northeast.



Photopoint 153. No bed or banks on NHD line. XBB153. Facing northeast.



Photopoint 154a. No bed or banks on NHD line. XBB154a. Facing north.



Photopoint 154b. No bed or banks on NHD line. End of ST-215. XBB154b. Facing north.



Photopoint 155. No bed or banks on NHD line. XBB155. Facing southwest.



Photopoint 156. No bed or banks on NHD line. XBB156. Facing south.



Photopoint 157. No bed or banks on NHD line. XBB157. Facing south.



Photopoint 158. No bed or banks on NHD line. XBB158. Facing south.



Photopoint 159. No bed or banks on NHD line. XBB159. Facing south.



Photopoint 160. No bed or banks on NHD line. XBB160. Facing south.



Photopoint 161. No bed or banks on NHD line. XBB161. Facing south.



Photopoint 162. No bed or banks on NHD line. XBB162. Facing south.



Photopoint 163. No bed or banks on NHD line. XBB163. Facing north.



Photopoint 164a. No bed or banks on NHD line. XBB164a. Facing southwest.



Photopoint 164b. No bed or banks on NHD line. XBB164b. Facing southwest.



Photopoint 165. No bed or banks on NHD line. XBB165. Facing south.



Photopoint 166. No bed or banks on NHD line. XBB166. Facing south.



Photopoint 167. No bed or banks on NHD line. XBB167. Facing south.



Photopoint 168. No bed or banks on NHD line. XBB168. Facing southwest.



Photopoint 169. No bed or banks on NHD line. XBB169. Facing southwest.



Photopoint 170. No bed or banks on NHD line. XBB170. Facing northwest.



Photopoint 171. No bed or banks on NHD line. XBB171. Facing north.



Photopoint 172. No bed or banks on NHD line. XBB172. Facing northwest.



Photopoint 173. No bed or banks on NHD line. XBB173. Facing northwest.



Photopoint 174. No bed or banks on NHD line. XBB174. Facing north.



Photopoint 175. No bed or banks on NHD line. XBB175. Facing southeast.



Photopoint 176. No bed or banks on NHD line. XBB176. Facing north.



Photopoint 177. No bed or banks on NHD line. XBB177. Facing northeast.



Photopoint 178. Dark spot on orthoimagery is glacial erratic surrounded by weeds. XBB178. Facing west.



Photopoint 179. No bed or banks on NHD line. XBB179. Facing east.



Photopoint 200. Ephemeral drainage. ST200. Facing southwest.



Photopoint 201. Ephemeral drainage. ST201. Facing north.



Photopoint 202. Ephemeral drainage. ST202. Facing south.



Photopoint 203. Ephemeral drainage. ST203. Facing southeast.



Photopoint 204. Ephemeral drainage. ST204. Facing southwest.



Photopoint 205. Ephemeral drainage. ST205. Facing south.



Photopoint 206. Ephemeral drainage. ST206. Facing southwest.



Photopoint 207. Ephemeral drainage. ST207. Facing west.



Photopoint 208. Ephemeral drainage. ST208. Facing southeast.



Photopoint 209. Ephemeral drainage. ST209. Facing southwest.



Photopoint 210. Ephemeral drainage. ST210. Facing north.



Photopoint 211. Ephemeral drainage. ST211. Facing northeast.



Photopoint 212. Ephemeral drainage. ST212. Facing south.



Photopoint 213. Ephemeral drainage. ST213. Facing northeast.



Photopoint 215. Ephemeral drainage. ST215. Facing south.



Photopoint 216. Ephemeral drainage. ST216. Facing northeast.



Photopoint 217. Ephemeral drainage. ST217. Facing northwest.



Photopoint 218. Ephemeral drainage. ST218. Facing southeast.



Photopoint 220. Ephemeral drainage. ST220. Facing south.



Photopoint 221. Ephemeral drainage. ST221. Facing east.



Photopoint 222. Ephemeral drainage. ST222. Facing northeast.



Photopoint 400. Livestock pond, with piped water. PD400. Facing southwest.



Photopoint 402. Livestock pond, with piped water. PD402. Facing south.



Photopoint 403a. Livestock pond, with piped water. PD403a. Facing west.



Photopoint 403b. Livestock pond, with piped water. PD403b. Facing northeast.



Photopoint 500. Irrigation induced wetland. WT500. Facing south.



Photopoint 501. Irrigation induced wetland. WT501. Facing southwest.



Photopoint 502. Sample site. SS502. Facing south.



Photopoint 2041. Ephemeral drainage. ST204. Facing northeast.



Photopoint 2071a. Ephemeral drainage. ST207. Facing southwest.



Photopoint 2071b. Ephemeral drainage. ST207. Facing southwest.



Photopoint 2072. Ephemeral drainage. ST207. Facing southwest.



Photopoint 2073. Ephemeral drainage. ST207. Facing northeast.



Photopoint 2081. Ephemeral drainage. ST208. Facing southeast.



Photopoint 2141. Ephemeral drainage. ST214. Facing southeast.



Photopoint 2142. Ephemeral drainage. ST214. Facing southeast.



Photopoint 2151. Ephemeral drainage. ST215. Facing north.



Photopoint 2191. Ephemeral drainage. ST219. Facing northeast.



Photopoint 2192. Ephemeral drainage. ST219. Facing south.



Photopoint 2211. Ephemeral drainage. ST221. Facing northeast.



Photopoint 2212. Ephemeral drainage. ST221. Facing northeast.



Photopoint 2213. Ephemeral drainage. ST221. Facing north.



Photopoint 2221. Ephemeral drainage. ST222. Facing north.



Photopoint 4001. Pipe into livestock pond. PD400. Facing southwest.



Photopoint 4002. Sample site. SS4002. Facing north.



Photopoint 4011. Pipe into livestock pond. PD401. Facing west.



Photopoint 4012. Livestock pond. PD401. Facing northeast.



Photopoint 4014. Livestock pond. PD401. Facing northeast.



Photopoint 4021. Livestock pond. PD402. Facing southwest.



Photopoint 4022. Livestock pond. PD402. Facing southeast.



Photopoint 4031. Livestock pond. PD403. Facing north.



Photopoint 4032. Livestock pond. PD403. Facing north.



Photopoint 5001. Upland sample site. WT500. Facing south.



Photopoint 5002. Sample site. WT500. Facing north.



Photopoint 5003. Upland sample site. WT500. Facing northeast.



Photopoint 5004. WT500. Facing west.



Photopoint 5005. WT500. Facing west.



Photopoint 5011. Upland sample site. WT501. Facing north.



Photopoint 5012. Sample site. WT501. Facing south.



Photopoint 501. WT501. Wetland created by a leak in irrigation pipe. Facing west.



Photopoint 502. WT502. Wetland created by a leak in irrigation pipe. Facing north.



Photopoint 600. No bed or banks on NHD line. Facing north.



Photopoint 601. No bed or banks on NHD line. Facing north.



Photopoint 602. No bed or banks on NHD line. Facing north.



Photopoint 603. No bed or banks on NHD line. Facing southwest.



Photopoint 604. No bed or banks on NHD line. Facing south.



Photopoint 605. No bed or banks on NHD line. ST705 does not continue southwest of here. Facing southwest.



Photopoint 606. No bed or banks on NHD line, swale feature full of cow bones. Facing south.



Photopoint 607. No bed or banks on NHD line. Facing south.



Photopoint 608. No bed or banks on NHD line. Facing west.



Photopoint 609. No bed or banks on NHD line. Facing northwest.



Photopoint 610. No bed or banks on NHD line. ST706 does not continue uphill from here. Facing southwest.



Photopoint 612. No bed or banks on NHD line. Facing northwest.



Photopoint 613. No bed or banks on NHD line. Facing west.



Photopoint 614. No bed or banks on NHD line. Facing southeast.



Photopoint 615. No bed or banks on NHD line. Facing southeast.



Photopoint 616. No bed or banks on NHD line. Facing southeast.



Photopoint 617. No bed or banks on NHD line. Facing west.



Photopoint 700. ST700. Ephemeral drainage. Facing north.



Photopoint 701. ST701. Ephemeral drainage. Facing northwest.



Photopoint 703. ST703. Ephemeral drainage. Facing southwest.



Photopoint 704. ST704. Ephemeral drainage. Facing northwest.



Photopoint 705. ST705. Ephemeral drainage. Facing west.



Photopoint 706. ST706. Ephemeral drainage. Facing southwest.



Photopoint 707. ST707. Ephemeral drainage. Facing southwest.



Photopoint 708. ST708. Ephemeral drainage. Facing north.



Photopoint 709. ST709. Ephemeral drainage. Facing east.



Photopoint 710. ST710. Ephemeral drainage. Facing southwest.



Photopoint 2071. ST207. Ephemeral drainage, downstream conditions. Facing east.



Photopoint 50021. WT500. Updated photo of WT500, water flowing from pipes. Facing north.